antibodies - online.com







anti-GCNT1 antibody (AA 88-117)

Images



\sim				
	11/6	٦r١	/10	۱۸.

Quantity:	400 μL	
Target:	GCNT1	
Binding Specificity:	AA 88-117	
Reactivity:	Human, Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This GCNT1 antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))	
Product Details		
Immunogen:	This GCNT1 antibody is generated from rabbits immunized with a KLH conjugated synthetic	
	peptide between 88-117 amino acids from the Central region of human GCNT1.	
Clone:	RB4836	
Isotype:	lg Fraction	
Purification:	This antibody is prepared by Saturated Ammonium Sulfate (SAS) precipitation followed by	
	dialysis against PBS.	
Target Details		
Target:	GCNT1	
Alternative Name:	GCNT1 (GCNT1 Products)	

Target Details

Bac	kgro	our	ıd:

Glycosylation is one of the most universal but at the same time complex protein modifications. Modification with sugar moeties can be both co- translational and post- translational, occurring in the endoplasmatic reticulum and golgi. Three different forms of glycosylation can be distinguished: N-linked oligosaccharides, O-linked oligosaccharides and glycosyl-phosphatidylinositol (GPI-) anchors. Glycosylation results in thousands of distinct, bioactive glycoproteins resident throughout the cell that strongly determine protein-protein, carbohydrate-protein, membrane, and adhesion properties. Diseases associated with glycosylation defects include Congenital disorders of glycosylation, (CDG), also known as carbohydrate deficient glycoprotein syndromes, and diseases associated with advanced aging.


Molecular Weight:	49799
Gene ID:	2650
NCBI Accession:	NP_001091102, NP_001091103, NP_001091104, NP_001091105, NP_001481
UniProt:	Q02742


Application Details

Application Notes:	WB: 1:1000. IHC-P: 1:50~100
Restrictions:	For Research Use only

Handling

Format:	Liquid	
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Maintain refrigerated at 2-8 °C for up to 6 months. For long term storage store at -20 °C in small aliquots to prevent freeze-thaw cycles.	
Expiry Date:	6 months	





Immunohistochemistry (Paraffin-embedded Sections)

Image 1. Formalin-fixed and paraffin-embedded human cancer tissue reacted with the primary antibody, which was peroxidase-conjugated to the secondary antibody, followed by DAB staining. This data demonstrates the use of this antibody for immunohistochemistry, clinical relevance has not been evaluated. BC = breast carcinoma, HC = hepatocarcinoma.

Western Blotting

Image 2. The anti-GCNT1 Pab (ABIN389033 and ABIN2839248) is used in Western blot to detect GCNT1 in mouse kidney tissue lysate.