antibodies -online.com





anti-TRIM69 antibody (AA 200-231)

2 Images



Go to Product page

\sim					
	1//	r۱	/1	\triangle	٨

Quantity:	400 μL
Target:	TRIM69
Binding Specificity:	AA 200-231
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TRIM69 antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
1 Toddet Details	
Immunogen:	This RNF36 (TRIM69) antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 200-231 amino acids from the Central region of human RNF36 (TRIM69).
	synthetic peptide between 200-231 amino acids from the Central region of human RNF36
Immunogen:	synthetic peptide between 200-231 amino acids from the Central region of human RNF36 (TRIM69).

Target Details

Target:	TRIM69	
Alternative Name:	RNF36 (TRIM69) (TRIM69 Products)	

Target Details


Background:	TRIM69 is a member of the RING-B-box-coiled-coil (RBCC) family with an N-terminal RING	
	finger motif, a PRY domain and a C-terminal SPRY domain. The mouse ortholog of TRIM69 is	
	specifically expressed in germ cells at the round spermatid stages during spermatogenesis	
	and, when overexpressed, induces apoptosis.	
Molecular Weight:	57419	
Gene ID:	140691	
NCBI Accession:	NP_542783, NP_892030	
UniProt:	Q86WT6	


Application Details

Application Notes:	WB: 1:1000. WB: 1:1000
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Maintain refrigerated at 2-8 °C for up to 6 months. For long term storage store at -20 °C in small aliquots to prevent freeze-thaw cycles.
Expiry Date:	6 months





Western Blotting

Image 1. Anti-TRIM69 Antibody (Center) at 1:1000 dilution + PC-3 whole cell lysate Lysates/proteins at 20 μg per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size : 57 kDa Blocking/Dilution buffer: 5 % NFDM/TBST.

Western Blotting

Image 2. Western blot analysis of anti-TRIM69 Antibody (Center) (R) in K562 cell line lysates (35 μg/lane). TRIM69(arrow) was detected using the purified Pab.