

Datasheet for ABIN389298  
**anti-RMND5B antibody (C-Term)**[Go to Product page](#)

## 3 Images

## Overview

Quantity:	400 µL
Target:	RMND5B
Binding Specificity:	AA 347-375, C-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This RMND5B antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

## Product Details

Immunogen:	This RMND5B antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 347-375 amino acids from the C-terminal region of human RMND5B.
Clone:	RB17322
Isotype:	Ig Fraction
Predicted Reactivity:	M
Purification:	This antibody is prepared by Saturated Ammonium Sulfate (SAS) precipitation followed by dialysis against PBS.

## Target Details

Target:	RMND5B
---------	--------

## Target Details


Alternative Name:	RMND5B ( <a href="#">RMND5B Products</a> )
Molecular Weight:	44414
Gene ID:	64777
NCBI Accession:	<a href="#">NP_073599</a>
UniProt:	<a href="#">Q96G75</a>

## Application Details

Application Notes:	WB: 1:1000. WB: 1:1000. IHC-P: 1:10~50
Restrictions:	For Research Use only


## Handling

Format:	Liquid
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Maintain refrigerated at 2-8 °C for up to 6 months. For long term storage store at -20 °C in small aliquots to prevent freeze-thaw cycles.
Expiry Date:	6 months




**Immunohistochemistry (Paraffin-embedded Sections)**

**Image 1.** Formalin-fixed and paraffin-embedded human lung carcinoma reacted with RMND5B antibody (C-term), which was peroxidase-conjugated to the secondary antibody, followed by DAB staining. This data demonstrates the use of this antibody for immunohistochemistry, clinical relevance has not been evaluated.



**Western Blotting**

**Image 2.** Western blot analysis of anti-RMND5B Antibody (C-term) (ABIN389298 and ABIN2839418) in NCI- cell line lysates (35 µg/lane). RMND5B(arrow) was detected using the purified Pab.



**Western Blotting**

**Image 3.** Western blot analysis of RMND5B (arrow) using rabbit polyclonal RMND5B Antibody (C-term) (ABIN389298 and ABIN2839418). 293 cell lysates (2 µg/lane) either nontransfected (Lane 1) or transiently transfected (Lane 2) with the RMND5B gene.