antibodies -online.com





anti-WDYHV1 antibody (AA 106-136)

2 Images



Go to Product page

Overview	
Quantity:	400 μL
Target:	WDYHV1
Binding Specificity:	AA 106-136
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This WDYHV1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))
Product Details	
lmmunogen:	This WDYHV1 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 106-136 amino acids from the Central region of human WDYHV1.
Clone:	RB16504
Isotype:	lg Fraction
Predicted Reactivity:	В
Purification:	This antibody is prepared by Saturated Ammonium Sulfate (SAS) precipitation followed by dialysis against PBS.
Target Details	
Target:	WDYHV1

Target Details


Alternative Name:	WDYHV1 (WDYHV1 Products)
Molecular Weight:	23680
Gene ID:	55093
NCBI Accession:	NP_060494
UniProt:	Q96HA8


Application Details

Application Notes:	WB: 1:1000. IHC-P: 1:50~100
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Maintain refrigerated at 2-8 °C for up to 6 months. For long term storage store at -20 °C in small aliquots to prevent freeze-thaw cycles.
Expiry Date:	6 months





Immunohistochemistry (Paraffin-embedded Sections)

Image 1. Formalin-fixed and paraffin-embedded human breast carcinoma tissue reacted with C8orf32 antibody (Center), which was peroxidase-conjugated to the secondary antibody, followed by DAB staining. This data demonstrates the use of this antibody for immunohistochemistry, clinical relevance has not been evaluated.

Western Blotting

Image 2. Western blot analysis of anti-WDYHV1 Antibody (Center) Pab (ABIN389310 and ABIN2839431) in mouse heart tissue lysates ($35 \,\mu\text{g/lane}$). WDYHV1(arrow) was detected using the purified Pab.