antibodies - online.com







anti-MAGEA11 antibody (N-Term)

Images



\sim				
	11/6	٦r١	/10	۱۸.

OVEIVIEW		
Quantity:	400 μL	
Target:	MAGEA11	
Binding Specificity:	AA 198-228, N-Term	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This MAGEA11 antibody is un-conjugated	
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))	
Product Details		
Immunogen:	This MAGEA11 antibody is generated from rabbits immunized with a KLH conjugated synthetic	
	peptide between 198-228 amino acids from the N-terminal region of human MAGEA11.	
Clone:	RB2101-2102	
Isotype:	lg Fraction	
Purification:	This antibody is prepared by Saturated Ammonium Sulfate (SAS) precipitation followed by	
	dialysis against PBS.	
Target Details		
Target:	MAGEA11	
Alternative Name:	MAGEA11 (MAGEA11 Products)	

Target Details

Dackground.	Bac	karo	und:
-------------	-----	------	------

MAGEA11 is a member of the MAGEA gene family. The members of this family have their entire coding sequences located in the last exon, and the encoded proteins show 50 to 80 % sequence identity between each other. The promoters and first exons of the MAGEA genes show considerable variability, suggesting that the existence of this gene family enables the same function to be expressed under different transcriptional controls. The MAGEA genes are expressed at a high level in a number of tumors of various histologic types, and are silent in normal tissues with the exception of testis and placenta. The MAGEA genes are clustered on chromosome Xq28. They may be implicated in some hereditary disorders, such as dyskeratosis congenita.

Molecular Weight: 48129

Gene ID: 4110

NCBI Accession: NP_001011544, NP_005357

UniProt: P43364


Application Details


Application Notes: WB: 1:1000. IHC-P: 1:50~100

Restrictions: For Research Use only

Handling

Format:	Liquid	
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Maintain refrigerated at 2-8 °C for up to 6 months. For long term storage store at -20 °C in small aliquots to prevent freeze-thaw cycles.	
Expiry Date:	6 months	





Immunohistochemistry (Paraffin-embedded Sections)

Image 1. Formalin-fixed and paraffin-embedded human cancer tissue reacted with the primary antibody, which was peroxidase-conjugated to the secondary antibody, followed by DAB staining. This data demonstrates the use of this antibody for immunohistochemistry, clinical relevance has not been evaluated. BC = breast carcinoma, HC = hepatocarcinoma.

Western Blotting

Image 2. Western blot analysis of anti-GEA11 Antibody (Nterm) (ABIN390103 and ABIN2840615) pre-incubated with and without blocking peptide in 293 cell line lysate. GEA11(arrow) was detected using the purified Pab.