antibodies -online.com





anti-GPR37 antibody (C-Term)

3 Images



Go to Product page

\sim	
()\/△	rview
\cup	1 410 44

Quantity:	400 μL
Target:	GPR37
Binding Specificity:	AA 217-246, C-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This GPR37 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))
Product Details	
Immunogen:	This Pael-R (GPR37) antibody is generated from rabbits immunized with a KLH conjugated
	synthetic peptide between 217-246 amino acids from the C-terminal region of human Pael-R
	(GPR37).
Clone:	RB07397
Isotype:	lg Fraction
Purification:	This antibody is prepared by Saturated Ammonium Sulfate (SAS) precipitation followed by
	dialysis against PBS.
Target Details	
Target:	GPR37
Altawa ation Managa	Deal D (ODD27) (ODD27 Deaduate)
Alternative Name:	Pael-R (GPR37) (GPR37 Products)

Target Details

Background:

Parkinson is the second most common neurodegenerative disease after Alzheimers. About 1 percent of people over the age of 65 and 3 percent of people over the age of 75 are affected by the disease. The mutation is the most common cause of Parkinson disease identified to date. The function of Park2 is not well-known, however, it may play a role in the ubiquitin-mediated proteolytic pathway. Mutations in this gene are known to cause autosomal recessive juvenile parkinsonism. Alternative splicing of this gene produces three known products of undetermined function. Panneuronal expression of Parkin substrate Pael-R causes age-dependent selective degeneration of Drosophila dopaminergic (DA) neurons, coexpression of Parkin degrades Pael-R and suppresses its toxicity.


Molecular Weight:	67114
Gene ID:	2861
NCBI Accession:	NP_005293
UniProt:	015354


Application Details


Application Notes:	WB: 1:1000. WB: 1:1000. IHC-P: 1:50~100
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Maintain refrigerated at 2-8 °C for up to 6 months. For long term storage store at -20 °C in small aliquots to prevent freeze-thaw cycles.
Expiry Date:	6 months







Immunohistochemistry (Paraffin-embedded Sections)

Image 1. Formalin-fixed and paraffin-embedded human cancer tissue reacted with the primary antibody, which was peroxidase-conjugated to the secondary antibody, followed by DAB staining. This data demonstrates the use of this antibody for immunohistochemistry, clinical relevance has not been evaluated. BC = breast carcinoma, HC = hepatocarcinoma.

Western Blotting

Image 2. Western blot analysis of anti-Pael-R (GPR37) Pab (ABIN390380 and ABIN2840782) in mouse brain tissue lysate. Pael-R (GPR37) (arrow) was detected using the purified Pab.

Western Blotting

Image 3. Western blot analysis of anti-Pael-R (GPR37) Antibody (C-term) (ABIN390380 and ABIN2840782) in K562 cell line lysates (35 μ g/lane). Pael-R (arrow) was detected using the purified Pab.