antibodies - online.com







anti-DONSON antibody (N-Term)





Go to	Prod	luct	page
		uot	Puge

Overvi	ev

Overview	
Quantity:	400 μL
Target:	DONSON
Binding Specificity:	AA 95-126, N-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This DONSON antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Immunogen:	This DONSON antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 95-126 amino acids from the N-terminal region of human DONSON.

Immunogen:	This DONSON antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 95-126 amino acids from the N-terminal region of human DONSON.
Clone:	RB19239
Isotype:	lg Fraction
Purification:	This antibody is prepared by Saturated Ammonium Sulfate (SAS) precipitation followed by dialysis against PBS.

Target Details

Target:	DONSON
Alternative Name:	DONSON (DONSON Products)

Target Details


Background:	DONSON is essential for DNA amplification in the ovary and required for cell proliferation during development.
Molecular Weight:	62747
Gene ID:	29980
NCBI Accession:	NP_060083
UniProt:	Q9NYP3

Application Details

Application Notes:	WB: 1:1000
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Maintain refrigerated at 2-8 °C for up to 6 months. For long term storage store at -20 °C in small aliquots to prevent freeze-thaw cycles.
Expiry Date:	6 months



Western Blotting

Image 1. Western blot analysis of DONSON antibody (Nterm) (ABIN390485 and ABIN2840846) in HepG2 cell line lysates (35 μ g/lane). DONSON (arrow) was detected using the purified Pab.