antibodies - online.com







anti-ACVR1 antibody (AA 85-123)

Images



Publication



()	1 /	-	r٧	/ 1	0	A .
	1//	\vdash	1 \/	/ I	_	۱/۱
\sim	٧.	\sim	1 V		$\overline{}$	V١

0.10.11011	
Quantity:	400 μL
Target:	ACVR1 (ACRV1)
Binding Specificity:	AA 85-123
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ACVR1 antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
Immunogen:	This Activin Receptor Type IA (ACVR1) antibody is generated from rabbits immunized with a
	KLH conjugated synthetic peptide between 85-123 amino acids from the Central region of
	human Activin Receptor Type IA (ACVR1).
Clone:	RB6514
Isotype:	Ig Fraction
Predicted Reactivity:	В
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.
Target Details	
Target:	ACVR1 (ACRV1)


Target Details

Alternative Name:	Activin Receptor Type IA (ACVR1) (ACRV1 Products)	
Background:	Activins are dimeric growth and differentiation factors which belong to the transforming growth	
	factor-beta (TGF-beta) superfamily of structurally related signaling proteins. Activins signal	
	through a heteromeric complex of receptor serine kinases which include at least two type I (${\sf I}$	
	and IB) and two type II (II and IIB) receptors. These receptors are all transmembrane proteins,	
	composed of a ligand-binding extracellular domain with cysteine-rich region, a transmembrane	
	domain, and a cytoplasmic domain with predicted serine/threonine specificity. Type I receptors	
	are essential for signaling, and type II receptors are required for binding ligands and for	
	expression of type I receptors. Type I and II receptors form a stable complex after ligand	
	binding, resulting in phosphorylation of type I receptors by type II receptors. ACVR1 is an activing	
	A type I receptor which signals a particular transcriptional response in concert with activin type	
	Il receptors.	
Molecular Weight:	57153	
Gene ID:	90	
NCBI Accession:	NP_001096, NP_001104537	
UniProt:	Q04771	
Application Details		
Application Notes:	WB: 1:1000. WB: 1:1000. WB: 1:1000	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which	
	should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Maintain refrigerated at 2-8 °C for up to 6 months. For long term storage store at -20 °C in smal	
	aliquots to prevent freeze-thaw cycles.	
Expiry Date:	6 months	

Product cited in:


Ewing, Chu, Elisma, Li, Taylor, Climie, McBroom-Cerajewski, Robinson, OConnor, Li, Taylor, Dharsee, Ho, Heilbut, Moore, Zhang, Ornatsky, Bukhman, Ethier, Sheng, Vasilescu, Abu-Farha, Lambert, Duewel et al.: "Large-scale mapping of human protein-protein interactions by mass spectrometry. ..." in: **Molecular systems biology**, Vol. 3, pp. 89, (2007) (PubMed).

Images




Western Blotting

Image 1. Anti-ACVR1 Antibody N-term at 1:1000 dilution + Hela whole cell lysate Lysates/proteins at 20 μg per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size : 57 kDa Blocking/Dilution buffer: 5 % NFDM/TBST.



Western Blotting

Image 2. Western blot analysis of anti-ACVR1 Pab (ABIN391156 and ABIN2841266) in mouse brain tissue lysate. ACVR1(arrow) was detected using the purified Pab.



Western Blotting

Image 3. ACVR1 Antibody (N-term) (ABIN391156 and ABIN2841266) western blot analysis in T47D cell line lysates (35 μ g/lane). This demonstrates the ACVR1 antibody detected the ACVR1 protein (arrow).