

Datasheet for ABIN391325  
**anti-STK17A antibody (N-Term)**[Go to Product page](#)

## 1 Image

## Overview

Quantity:	400 µL
Target:	STK17A
Binding Specificity:	AA 1-30, N-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This STK17A antibody is un-conjugated
Application:	Western Blotting (WB)

## Product Details

Immunogen:	This DRAK1 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 1-30 amino acids from the N-terminal region of human DRAK1.
Clone:	RB3047-3048
Isotype:	Ig Fraction
Purification:	This antibody is purified through a protein A column, followed by peptide affinity purification.

## Target Details

Target:	STK17A
Alternative Name:	DRAK1 ( <a href="#">STK17A Products</a> )
Background:	DRAK1 is a member of the DAP kinase-related apoptosis-inducing protein kinase family and

## Target Details


	encodes an autophosphorylated nuclear protein with a protein kinase domain. The protein has apoptosis-inducing activity.
Molecular Weight:	46558
Gene ID:	9263
NCBI Accession:	<a href="#">NP_004751</a>
UniProt:	<a href="#">Q9UEE5</a>

## Application Details

Application Notes:	WB: 1:1000
Restrictions:	For Research Use only

## Handling

Format:	Liquid
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Maintain refrigerated at 2-8 °C for up to 6 months. For long term storage store at -20 °C in small aliquots to prevent freeze-thaw cycles.
Expiry Date:	6 months



### Western Blotting

**Image 1.** Anti-DRAK1 Antibody (P14) at 1:1000 dilution + HepG2 whole cell lysate Lysates/proteins at 20 µg per lane. Secondary Goat Anti-Rabbit IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size : 46 kDa Blocking/Dilution buffer: 5 % NFDM/TBST.