antibodies -online.com





anti-FKBP10 antibody (C-Term)





Go to Product page

\sim	
()\/△	rview
\circ	

Quantity:	400 μL
Target:	FKBP10
Binding Specificity:	AA 552-580, C-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This FKBP10 antibody is un-conjugated
Application:	Western Blotting (WB), Flow Cytometry (FACS), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))
Draduat Dataila	

Product Details

Immunogen:	This FKBP10 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 552-580 amino acids from the C-terminal region of human FKBP10.
Clone:	RB19280
Isotype:	Ig Fraction
Purification:	This antibody is prepared by Saturated Ammonium Sulfate (SAS) precipitation followed by dialysis against PBS.

Target Details

Target:	FKBP10
Alternative Name:	FKBP10 (FKBP10 Products)

Target Details


Background:	The protein belongs to the FKBP-type peptidyl-prolyl cis/trans isomerase family. It is located in endoplasmic reticulum and acts as molecular chaperones.
Molecular Weight:	64245
Gene ID:	60681
NCBI Accession:	NP_068758
UniProt:	Q96AY3
Pathways:	SARS-CoV-2 Protein Interactome

Application Details

Application Notes:	WB: 1:1000. IHC-P: 1:50~100. IHC-P: 1:100. FC: 1:10~50
Restrictions:	For Research Use only


Handling

Format:	Liquid
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Maintain refrigerated at 2-8 °C for up to 6 months. For long term storage store at -20 °C in small aliquots to prevent freeze-thaw cycles.
Expiry Date:	6 months




Immunohistochemistry (Paraffin-embedded Sections)

Image 1. Formalin-fixed and paraffin-embedded H.tonsil tissue reacted with FKBP10 Antibody (C-term) (ABIN391573 and ABIN2841510).



Western Blotting

Image 2. Western blot analysis of FKBP10 Antibody (Cterm) (ABIN391573 and ABIN2841510) in and cell line lysates (35 μ g/lane). FKBP10 (arrow) was detected using the purified Pab.



Immunohistochemistry (Paraffin-embedded Sections)

Image 3. FKBP10 Antibody (C-term) B immunohistochemistry analysis in formalin fixed and paraffin embedded human kidney tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of FKBP10 Antibody (C-term) for immunohistochemistry. Clinical relevance has not been evaluated.

Please check the product details page for more images. Overall 4 images are available for ABIN391573.