antibodies.com

Datasheet for ABIN391667 anti-EHD3 antibody (AA 189-216)

3 Images



Overview

Quantity:	400 µL
Target:	EHD3
Binding Specificity:	AA 189-216
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This EHD3 antibody is un-conjugated
Application:	Western Blotting (WB), Flow Cytometry (FACS), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

Product Details

Immunogen:	This EHD3 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 189-216 amino acids from the Central region of human EHD3.
Clone:	RB17957
Isotype:	Ig Fraction
Predicted Reactivity:	M, Rat
Purification:	This antibody is prepared by Saturated Ammonium Sulfate (SAS) precipitation followed by dialysis against PBS.

Target Details

Та

rget:	EHD3

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN391667 | 09/12/2023 | Copyright antibodies-online. All rights reserved.

Target Details


Alternative Name:	EHD3 (EHD3 Products)	
Background:	EHD3 plays a role in endocytic transport.	
Molecular Weight:	60887	
Gene ID:	30845	
NCBI Accession:	NP_055415	
UniProt:	Q9NZN3	


Application Details

Application Notes:	WB: 1:1000. IHC-P: 1:50~100. FC: 1:10~50
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Maintain refrigerated at 2-8 °C for up to 6 months. For long term storage store at -20 °C in small aliquots to prevent freeze-thaw cycles.
Expiry Date:	6 months





Kidneycarchoma

Flow Cytometry

Image 1. Flow cytometric analysis of 293 cells using EHD3 Antibody (Center)(bottom histogram) compared to a negative control cell (top histogram). FITC-conjugated goatanti-rabbit secondary antibodies were used for the analysis.

Western Blotting

Image 2. Western blot analysis of EHD3 Antibody (Center) (ABIN391667 and ABIN2841578) in CEM cell line lysates (35 µg/lane). EHD3 (arrow) was detected using the purified Pab.

Immunohistochemistry (Paraffin-embedded Sections)

Image 3. Formalin-fixed and paraffin-embedded human kidney carcinoma reacted with EHD3 Antibody (Center), which was peroxidase-conjugated to the secondary antibody, followed by DAB staining. This data demonstrates the use of this antibody for immunohistochemistry, clinical relevance has not been evaluated.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN391667 | 09/12/2023 | Copyright antibodies-online. All rights reserved.