

Datasheet for ABIN392324  
**anti-HNRPQ antibody (C-Term)**[Go to Product page](#)

## 2 Images

## Overview

Quantity:	400 µL
Target:	HNRPQ
Binding Specificity:	AA 591-623, C-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This HNRPQ antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

## Product Details

Immunogen:	This HNRPQ antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 591-623 amino acids from the C-terminal region of human HNRPQ.
Clone:	RB16688
Isotype:	Ig Fraction
Predicted Reactivity:	M
Purification:	This antibody is prepared by Saturated Ammonium Sulfate (SAS) precipitation followed by dialysis against PBS.

## Target Details

Target:	HNRPQ
---------	-------

## Target Details


Alternative Name:	HNRPQ ( <a href="#">HNRPQ Products</a> )
Background:	Heterogenous nuclear ribonucleoprotein (hnRNP) implicated in mRNA processing mechanisms.
Molecular Weight:	69603
Gene ID:	10492
NCBI Accession:	<a href="#">NP_001153145</a> , <a href="#">NP_001153146</a> , <a href="#">NP_001153147</a> , <a href="#">NP_001153148</a> , <a href="#">NP_001153149</a> , <a href="#">NP_001240700</a> , <a href="#">NP_006363</a>
UniProt:	<a href="#">O60506</a>

## Application Details

Application Notes:	WB: 1:1000. IHC-P: 1:10~50
Restrictions:	For Research Use only


## Handling

Format:	Liquid
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Maintain refrigerated at 2-8 °C for up to 6 months. For long term storage store at -20 °C in small aliquots to prevent freeze-thaw cycles.
Expiry Date:	6 months



#### Immunohistochemistry (Paraffin-embedded Sections)

**Image 1.** Formalin-fixed and paraffin-embedded human brain tissue reacted with HNRPQ antibody (C-term), which was peroxidase-conjugated to the secondary antibody, followed by DAB staining. This data demonstrates the use of this antibody for immunohistochemistry, clinical relevance has not been evaluated.



#### Western Blotting

**Image 2.** Western blot analysis of HNRPQ Antibody (C-term) (ABIN392324 and ABIN2841972) in HeLa and Jurkat cell line lysates (35 µg/lane). HNRPQ (arrow) was detected using the purified Pab.