# antibodies -online.com





## anti-PPP1CC antibody (N-Term)





Go to	Draa	110+	2000
(¬() (()	P(0)	11 1 ( 21 -	nane

_						
0	V	0	r٧	/[	$\Theta$	M


Overview	
Quantity:	400 μL
Target:	PPP1CC
Binding Specificity:	AA 1-30, N-Term
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PPP1CC antibody is un-conjugated
Application:	Western Blotting (WB)
Product Details	
lmmunogen:	This PP1C gamma (PPP1CC) antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 1-30 amino acids from the N-terminal region of human PP1C gamma (PPP1CC).
Clone:	RB5939-5940
Isotype:	Ig Fraction
Purification:	This antibody is prepared by Saturated Ammonium Sulfate (SAS) precipitation followed by dialysis against PBS.
Target Netails	

#### Target Details

Target:	PPP1CC
Alternative Name:	PP1C gamma (PPP1CC) (PPP1CC Products)

### **Target Details**

-	
Background:	Protein phosphatase-1 (PP1) is 1 of 4 major serine/threonine-specific protein phosphatases involved in the dephosphorylation of a variety of proteins. These enzymes work in opposition to the protein kinases to control the level of phosphorylation. Protein phosphatase (PP1) is essential for cell division, and it participates in the regulation of glycogen metabolism, muscle contractility and protein synthesis, as well as in regulation of ionic conductances and long-term synaptic plasticity. PP1 has 3 catalytic subunits, designated alpha (PPP1CA), beta (PPP1CB), and gamma (PPP1CC).
Molecular Weight:	36984
Gene ID:	5501
NCBI Accession:	NP_001231903, NP_002701
UniProt:	P36873
Pathways:	Cellular Glucan Metabolic Process, Lipid Metabolism
Application Details	
Application Notes:	WB: 1:1000
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	Purified polyclonal antibody supplied in PBS with 0.09 % (W/V) sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Maintain refrigerated at 2-8 °C for up to 6 months. For long term storage store at -20 °C in small aliquots to prevent freeze-thaw cycles.
Expiry Date:	6 months



#### **Western Blotting**

**Image 1.** The anti-P1CC Pab (ABIN392845 and ABIN2842267) is used in Western blot to detect P1CC in mouse colon tissue lysate.