

## Datasheet for ABIN4368319

## Recombinant anti-RFP antibody (Atto 488)



## Overview

Quantity:	200 μL	
Target:	RFP	
Reactivity:	Discosoma	
Host:	Alpaca	
Expression System:	E.coli	
Antibody Type:	Recombinant Antibody	
Clonality:	Monoclonal	
Conjugate:	This RFP antibody is conjugated to Atto 488	
Application:	Immunofluorescence (IF), Flow Cytometry (FACS), Immunocytochemistry (ICC)	
Product Details		
Purpose:	Camelid sdAb anti-RFP conjugated with Atto488, Clone 2B12	
Immunogen:	RFP	
Clone:	2B12	
Fragment:	single-domain Antibody (sdAb)	
Specificity:	Recognizes most common red fluorescent proteins like mRFP and derivatives like mCherry, mScarlet-i, tdTomato, dsRed and mOrange.	
Cross-Reactivity (Details):	Does not cross-react with GFP or mTagBFP derivatives.	
Characteristics:	A dye conjugated alpaca single-domain antibody (sdAb), also referred to as VHH or nanobody. It is in the range of 15 kDa and 3 nm in molecular weight and size respectively. This means that	

## **Product Details**

1 Todaot Betaile		
	sdAbs are ten times lighter and up to 5x smaller than a conventional IgG molecule. They can position a fluorophore up to 20 nm closer to the intended target than using conventional primary-secondary antibody complex detection.	
Purification:	Produced in: E.coli	
Labeling Ratio:	a single fluorophore is coupled to exactly one sdAb	
Target Details		
Target:	RFP	
Alternative Name:	RFP (RFP Products)	
Molecular Weight:	26 kDa	
Application Details		
Application Notes:	Recommended dilution 1:500	
Comment:	Each fluorophore is coupled to exactly one sdAb, which in turn binds to its target molecule in a monovalent fashion. The high binding affinity and a high coupling efficiency of > 95% guarantees a highly linear relation between target molecule number and fluorescent intensity. This enables you to directly count your target molecule of interest. The fluorophore is located exceptionally close to the recognized epitope (< 1.5 nm), which is ideal for all microscopy techniques.	
Restrictions:	For Research Use only	
Handling		
Format:	Lyophilized	
Reconstitution:	Reconstitute with 50 % glycerol in deionized water. We recommend including 0.1 % sodium azide as a preservative if applicable.	
Concentration:	5 μΜ	
Buffer:	lyophilized from PBS pH7.4 with 2% BSA (US-Origin)	
Handling Advice:	Protect from light!	
Storage:	-20 °C,-80 °C	
Storage Comment:	Up to 3 months store at -20 °C. Up to 12 months store at -80 °C or below	

$\vdash$	land	lına
	iaria	шц

Expiry Date:

12 months