# antibodies -online.com





Datasheet for ABIN452582

# anti-Aflatoxin antibody



Go to Product page

( )	1/0	r\ /1	014	
( )	ve	I V I	-v	V

Quantity:	0.5 mg
Target:	Aflatoxin (AFT)
Reactivity:	Aspergillus
Host:	Rat
Clonality:	Monoclonal
Conjugate:	This Aflatoxin antibody is un-conjugated
Application:	Lateral Flow (LF), Enzyme Immunoassay (EIA)

#### **Product Details**

Immunogen:	Winstar rats were immunized with Aflatoxin M1-BSA conjugate.	
Clone:	2-00E-004	
Isotype:	lgG2b	
Purification:	Affinity Chromatography on Protein G.	

## **Target Details**

Target:	Aflatoxin (AFT)	
Alternative Name:	Aflatoxin (AFT Products)	
Target Type:	Chemical	
Background:	The aflatoxins are a group of closely related mycotoxins that are widely distributed in nature.  The most important of the group is aflatoxin B1 (AFB1), which has a range of biological.	

activities, including acute toxicity, teratogenicity, mutagenicity and carcinogenicity. In order for AFB1 to exert its effects, it must be converted to its reactive epoxide by the action of the mixed function mono-oxygenase enzyme systems (cytochrome P450-dependent) in the tissues (in particular, the liver) of the affected animal. This epoxide is highly reactive and can form derivatives with several cellular macromolecules, including DNA, RNA and protein. Cytochrome P450 enzymes may additionally catalyse the hydroxylation (to AFQ1 and AFM1) and demethylation (to AFP1) of the parent AFB1?Molecule, resulting in products less toxic than AFB1. Conjugation of AFB1 to glutathione (mediated by glutathione S-transferase) and its subsequent excretion is regarded as an important detoxification pathway in animals.

## **Application Details**

Application Notes:	ELISA: 100 ng of AFM1 can be detected as competitive conjugate.	
	Other applications not tested.	
	Optimal dilutions are dependent on conditions and should be determined by the user.	

Restrictions: For Research Use only

#### Handling

Reconstitution:	Restore with double distillated water to adjust the final concentration to 1.0 mg/mL.	
Buffer:	0.01 M PBS, pH 7.2 without preservatives	
Preservative:	Without preservative	
Storage:	-20 °C	
Storage Comment:	Store the antibody in aliquots at -20 °C after reconstitution. Avoid repeated freezing and thawing.  Shelf life: one year from despatch.	
Expiry Date:	12 months	