

Datasheet for ABIN457416

anti-DPP4 antibody**2** Images[Go to Product page](#)

Overview

Quantity:	0.1 mg
Target:	DPP4
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This DPP4 antibody is un-conjugated
Application:	Flow Cytometry (FACS)

Product Details

Immunogen:	A human T cell clone
Clone:	BA5b
Isotype:	IgG2a
Specificity:	The mouse monoclonal antibody BA5b recognizes an extracellular epitope of CD26, a 110 kDa type II transmembrane glycoprotein, which is a peptidase expressed on mature thymocytes, T cells (especially activated), B cells, NK cells and macrophages.
Cross-Reactivity (Details):	Human
Purification:	Purified by protein-A affinity chromatography.
Purity:	> 95 % (by SDS-PAGE)

Target Details


Target:	DPP4
Alternative Name:	CD26 (DPP4 Products)
Background:	Dipeptidyl peptidase 4,CD26, also known as dipeptidyl peptidase IV (DPP-IV), is a homodimeric cell surface serine peptidase that degrades IFN-gamma-induced cytokines, acts as a T cell costimulatory molecule, and participates in multiple immunopathological roles in leukocyte homing and inflammation. Alterations in its peptidase activity are characteristic of malignant transformation. The enzymatic activity increases dramatically with tumour grade and severity. CD26 is expressed in various blood cell types, but also e.g. in cells that are histogenetically related to activated fibroblasts. Alterations in CD26 density have been reported on circulating monocytes and CD4+ T cells during rheumatoid arthritis and systemic lupus erythematosus.,DPP4, TP103, ADCP-2, ADABP
Gene ID:	1803
UniProt:	P27487
Pathways:	Peptide Hormone Metabolism , Regulation of Leukocyte Mediated Immunity

Application Details

Application Notes:	Flow cytometry: Recommended dilution: 1-2 µg/mL, positive control: human peripheral blood leukocytes.
Restrictions:	For Research Use only

Handling

Concentration:	1 mg/mL
Buffer:	Phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Do not freeze.
Storage:	4 °C
Storage Comment:	Store at 2-8°C. Do not freeze.



Flow Cytometry

Image 1. Flow cytometry (surface staining) of human peripheral blood cells with anti-human CD26 (BA5b) purified, GAM-APC.

Flow Cytometry

Image 2. Surface staining of human peripheral blood cells with anti-human CD26 (BA5b) APC.