# antibodies - online.com







# anti-HPV18 E7 antibody (AA 36-70)





#### Overview

Quantity:	100 μg
Target:	HPV18 E7 (HPV-18 E7)
Binding Specificity:	AA 36-70
Reactivity:	Human Papillomavirus (HPV)
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This HPV18 E7 antibody is un-conjugated
Application:	ELISA, Western Blotting (WB), Immunofluorescence (IF), Immunoprecipitation (IP)

#### **Product Details**

Immunogen:	Recombinant full-length HPV-18 E7-protein purifiedfrom E. coli
Clone:	8E2
Isotype:	lgG1
Specificity:	Reacts with HPV-18 E7-protein.
Purification:	purified with Protein G affinity chromatorgaphy

# Target Details

Target:	HPV18 E7 (HPV-18 E7)
Abstract:	HPV-18 E7 Products
Target Type:	Viral Protein

# **Target Details**

#### Background:

Human papillomaviruses(HPV) are small DNA viruses whichinfect epithelia of the skin and mucosa. Over 90 types have been identified andthey mostly cause a variety of benign lesions such as warts and verrucae. However, some subtypes, notably types 16 and 18, 31 and 33, have been confirmed as agents which cause cervical cancer. Human Papillomavirus (HPV) E7 proteinshave cellular transforming and trans-activating activities


## **Application Details**

Application Notes:	ELISA:1: 128 000, WB: 1: 1000, IP 1:500. Monoclonal antibody working titer has to be
	established practically for each particular antigen and assay format
Restrictions:	For Research Use only

## Handling


Format:	Liquid
Concentration:	1 mg/ml
Buffer:	PBS pH 7.4, with 0.1%
Preservative:	Sodium azide
Precaution of Use:	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Handling Advice:	Divide antibody into aliquots prior usage. Avoid multiple freeze-thaw cycles.
Storage:	-20 °C


# **Images**



#### **Western Blotting**

Image 1. Western-Blot analysis of HPV-18 E7 protein. WB was carried out with 8E2 Mab using the lysates of U20S, Hela and SiHa cells. 1: U20S with plasmid expressing E7 protein, 2: plain U2OS cells. 3rd and 4 th lane are plain Hela and SiHa cells accordingly. The band in the 3rd lane represents non-specific binding. 5: marker.





#### **Immunoprecipitation**

**Image 2.** IP analysis of HPV-18 E7 protein. 1: detection of E7 protein by Mab 8E2 in lysate of U20S cells. 2: the lower band is precipitated E7, upper bands are light and heavy chain of Mab. 3: precipitation without mab 8E2. 4: IP exp. with plain U20S cells. 5: IP exp. with plain Hela cells, where the lower band is non-specific binding. 6: marker.

#### **Immunofluorescence**

**Image 3.** IF analysis of HPV-18 E7 protein in U2OS cells. IF was carried out with U2OS cells transfected with plasmid expressing HPV-18 E7 protein. All the nuclei were stained by DAPI. Green color represents nucleus-localized HPV-18 E7 detected by Mab 8E2. IF analysis of E7 protein show similar result also in HeLa cells.