

## Datasheet for ABIN457573

## anti-Albumin antibody



( )	11	OF	· \ /	-	1 A /
	v	er	V		v v

Quantity:	1 mL	
Target:	Albumin (ALB)	
Reactivity:	Cow	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This Albumin antibody is un-conjugated	
Application:	ELISA, Immunoelectrophoresis (IEP), Immunodiffusion (ID), Radial Immunodiffusion (RID), Nephelometry (Neph)	
Product Details		
Immunogen:	Highly purified albumin isolated from bovine serum. Freund's complete adjuvant is used in the	
	first step of the immunization procedure.	
Isotype:	IgG	
Specificity:	Inter-species cross-reactivity is a normal feature of antibodies to serum proteins, since	
	homologous proteins of different species frequently share antigenic determinants. The degree	
	of cross-reactivity is also dependent on the concentrations of the reactants and the sensitivity	
	of the assay arrangement. This antiserum has been tested for cross-reactivity in double radial	
	immunodiffusion with the following results: cat + chicken - dog + duck - goat ++ guinea pig $\pm$	
	hamster + horse + human + monkey + mouse ± pigeon - rabbit - rat ± sheep ++ swine +	
Characteristics:	Precipitating polyclonal rabbit antiserum to bovine serum albumin	
Purification:	Adsorption: Immunoaffinity adsorbed using insolubilized antigens as required, to eliminate	

antibodies reacting with other serum proteins. The use of insolubilized adsorption antigens prevents the presence of excess adsorbent protein or immune complexes in the antiserum.

## **Target Details**

Target:	Albumin (ALB)		
Alternative Name:	Serum Albumin (ALB Products)		
Background:	The defined antibody specificity is directed to albumin as tested against bovine sera. In		
	immuno- electrophoresis and double radial immunodiffusion (Ouchterlony), using various		
	antiserum concentrations against appropriate concentrations of the immunogen, a single		
	characteristic precipitin line is obtained which shows a reaction of identity with the precipitin		
	lines obtained against bovine serum and the purified albumin.		
Pathways:	Lipid Metabolism		

## **Application Details**

Application Notes:	As precipitating antiserum to identify or measure bovine albumin by a variety of			
	immunodiffusion techniques, including immunoelectrophoresis, single and double radial			
	immunodiffusion (Mancini, Ouchterlony) and electroimmunodiffusion (Laurell). It has not been			
	tested for use in nephelometry, ELISA or immunochemistry, but this does not exclude such use			
	if proper controls are included.			
Restrictions:	For Research Use only			
Handling				
Format:	Lyophilized			
Concentration:	Total protein and IgG concentrations in the antiserum are comparable to those in pooled rabbit			
	serum. No foreign proteins added. Antibody titre: Precipitin titre not less than 1:64 when tested			
	against normal bovine serum in agar block immunodiffusion titr			
Buffer:	Delipidated, heat inactivated, lyophilized, stable whole antiserum			
Preservative:	Without preservative			
Storage:	4 °C/-20 °C			
Storage Comment:	The lyophilized antiserum is shipped at ambient temperature and may be stored at +4°C,			
	prolonged storage at or below -20°C. Reconstitute the lyophilized antiserum by adding 1 ml			

sterile distilled water. Dilutions may be prepared by adding phosphate buffered saline (PBS, pH 7.2). Repeated thawing and freezing should be avoided. If a slight precipitation occurs upon storage, this should be removed by centrifugation. It will not affect the performance of the antiserum. Diluted antiserum should be stored at +4°C, not ref rozen, and preferably used the same day.