

Datasheet for ABIN457648

anti-Fibrinogen antibody



Overview

0.0	
Quantity:	1 mL
Target:	Fibrinogen
Reactivity:	Dog
Host:	Goat
Clonality:	Polyclonal
Conjugate:	This Fibrinogen antibody is un-conjugated
Application:	Immunodiffusion (ID), Immunoelectrophoresis (IEP), Radial Immunodiffusion (RID)
Product Details	
Immunogen:	Fibrinogen (clotting factor I) is a heat labile beta glycoprotein present in plasma. It is the precursor of fibrin, which is the key protein constituting the network of the blood clot. Thrombin converts fibrinogen to fibrin by limited proteolysis. Fibrin monomers polymerize to fibrin which is stabilized by cross-linking. Fibrinogen is isolated from fresh plasma after removing prothrombin. Freund's complete adjuvant is used in the first step of the immunization procedure.
Isotype:	IgG
Specificity:	The antiserum does not cross react with any other component of dog plasma. Inter-species cross-reactivity is a normal feature of antibodies to plasma proteins since they frequently share antigenic determinants. of this antiserum has not been tested in detail.
Characteristics:	Precipitating polyclonal goat antiserum to dog fibrinogen
Purification:	Adsorption: Immunoaffinity adsorbed using insolubilized antigens as required, to eliminate

antibodies cross-reacting with other plasma proteins. The use of insolubilized adsorption antigens prevents the presence of excess adsorbent protein or immune complexes in the antiserum.

Target Details

Target:	Fibrinogen
Abstract:	Fibrinogen Products
Background:	The reactivity of the antiserum is restricted to fibrinogen. In immunoelectrophoresis and radial immunodiffusion (Ouchterlony), using various antiserum concentrations against normal dog
	plasma a single precipitin line is obtained which shows a reaction of identity with the precipitin
	line obtained with purified fibrinogen. No reaction is obtained with any other plasma protein
	component or serum. However, the antiserum may also react with fibrin monomers, circulating
	fibrinopeptides and fibrin degradation products
Application Details	
Application Notes:	In precipitating techniques as immunoelectrophoresis and single or double radial
	immunodiffusion to identify the presence of fibrinogen in dog plasma or other body fluids or to
	determine its concentration.
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Concentration:	Total protein and IgG concentrations in the antiserum are comparable to those of pooled
	normal goat serum. No foreign proteins added. Antibody titre: Precipitin titre 1:32 when tested
	against pooled normal dog plasma in agar-block immunodiffusion titratio
Buffer:	Delipidated, heat inactivated, lyophilized, stable whole antiserum
Preservative:	Without preservative
Storage:	4 °C