

Datasheet for ABIN458085 **anti-Albumin antibody**



[Go to Product page](#)

Overview

Quantity:	1 mL
Target:	Albumin (ALB)
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Albumin antibody is un-conjugated
Application:	ELISA, Immunoelectrophoresis (IEP), Immunodiffusion (ID), Radial Immunodiffusion (RID), Nephelometry (Neph)

Product Details

Immunogen:	Highly purified albumin isolated from human serum. Freund's complete adjuvant is used in the first step of the immunization procedure.
Isotype:	IgG
Specificity:	Inter-species cross-reactivity is a normal feature of antibodies to serum proteins, since homologous proteins of different species frequently share antigenic determinants. The degree of cross-reactivity is also dependent on the concentrations of the reactants and the sensitivity of the assay arrangement. This antiserum has been tested for cross-reactivity in double radial immunodiffusion with the following results: bovine ++ chicken - dog ++ goat + guinea pig ++ horse ++ monkey ++ mouse + rabbit - rat + sheep + swine +
Characteristics:	Precipitating polyclonal rabbit antiserum to human serum albumin
Purification:	Adsorption: Immunoaffinity adsorbed using insolubilized antigens as required, to eliminate

Product Details

antibodies reacting with other serum proteins. The use of insolubilized adsorption antigens prevents the presence of excess adsorbent protein or immune complexes in the antiserum.

Target Details

Target:	Albumin (ALB)
Alternative Name:	Serum Albumin (ALB Products)
Background:	The defined antibody specificity is directed to albumin as tested against human sera. In immuno-electrophoresis and double radial immunodiffusion (Ouchterlony), using various antiserum concentrations against appropriate concentrations of the immunogen, a single characteristic precipitin line is obtained which shows a reaction of identity with the precipitin lines obtained against human serum and the purified albumin.
Pathways:	Lipid Metabolism

Application Details

Application Notes:	As precipitating antiserum to identify or measure human albumin by a variety of immunodiffusion techniques, including immunoelectrophoresis, single and double radial immunodiffusion (Mancini, Ouchterlony) and electroimmunodiffusion (Laurell). It has not been tested for use in nephelometry, ELISA or immunochemistry, but this does not exclude such use if proper controls are included.
Restrictions:	For Research Use only

Handling

Format:	Lyophilized
Concentration:	Total protein and IgG concentrations in the antiserum are comparable to those in pooled rabbit serum. No foreign proteins added. Antibody titre: Precipitin titre not less than 1:64 when tested against normal human serum in agar block immunodiffusion titra
Buffer:	Delipidated, heat inactivated, lyophilized, stable whole antiserum
Preservative:	Without preservative
Storage:	4 °C/-20 °C
Storage Comment:	The lyophilized antiserum is shipped at ambient temperature and may be stored at +4°C, prolonged storage at or below -20°C. Reconstitute the lyophilized antiserum by adding 1 ml

sterile distilled water. Dilutions may be prepared by adding phosphate buffered saline (PBS, pH 7.2). Repeated thawing and freezing should be avoided. If a slight precipitation occurs upon storage, this should be removed by centrifugation. It will not affect the performance of the antiserum. Diluted antiserum should be stored at +4°C, not refrozen, and preferably used the same day.