

Datasheet for ABIN458553

anti-Albumin antibody



\sim				
()\	ve	r\/		Λ/
\cup	$V \subset$	1 V I	\Box	٧V

Quantity:	1 mL
Target:	Albumin (ALB)
Reactivity:	Pig
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Albumin antibody is un-conjugated
Application:	ELISA, Immunoelectrophoresis (IEP), Immunodiffusion (ID), Radial Immunodiffusion (RID), Nephelometry (Neph)
Product Details	
Immunogen:	Highly purified albumin isolated from swine serum. Freund's complete adjuvant is used in the
	first step of the immunization procedure.
Isotype:	IgG
Specificity:	Inter-species cross-reactivity is a normal feature of antibodies to mammalian serum proteins, since homologous proteins of different species frequently share antigenic determinants. The
	degree of cross-reactivity is also dependent on the concentrations of the reactants and the
	sensitivity of the assay arrangement. This antiserum fraction has been tested for cross-
	sensitivity of the assay arrangement. This antiserum fraction has been tested for cross-reactivity by double radial immunodiffusion against goat and sheep albumin. A positive reaction has been observed.
Characteristics:	reactivity by double radial immunodiffusion against goat and sheep albumin. A positive reaction

antibodies reacting with other serum proteins. The use of insolubilized adsorption antigens prevents the presence of excess adsorbent protein or immune complexes in the antiserum.

Target Details

Target:	Albumin (ALB)
Alternative Name:	Serum Albumin (ALB Products)
Background:	The defined antibody specificity is directed to albumin as tested against swine sera. In immuno-
	electrophoresis and double radial immunodiffusion (Ouchterlony), using various antiserum
	concentrations against appropriate concentrations of the immunogen, a single characteristic
	precipitin line is obtained which shows a reaction of identity with the precipitin lines obtained
	against swine serum and the purified albumin.
Pathways:	Lipid Metabolism

Application Details

Application Notes:	As precipitating antiserum to identify or measure swine albumin by a variety of		
	immunodiffusion techniques, including immunoelectrophoresis, single and double radial		
	immunodiffusion (Mancini, Ouchterlony) and electroimmunodiffusion (Laurell). It has not been		
	tested for use in nephelometry, ELISA or immunochemistry, but this does not exclude such use		
	if proper controls are included.		
Restrictions:	For Research Use only		
Handling			
Format:	Lyophilized		
Concentration:	Total protein and IgG concentrations in the antiserum are comparable to those in pooled rabbit		
	serum. No foreign proteins added. Antibody titre: Precipitin titre not less than 1:64 when tested		
	against normal swine serum in agar block immunodiffusion titra		
Buffer:	Delipidated, heat inactivated, lyophilized, stable whole antiserum		
Preservative:	Without preservative		
Storage:	4 °C/-20 °C		
Storage Comment:	The lyophilized antiserum is shipped at ambient temperature and may be stored at +4°C,		

prolonged storage at or below -20°C. Reconstitute the lyophilized antiserum by adding 1 ml

sterile distilled water. Dilutions may be prepared by adding phosphate buffered saline (PBS, pH 7.2). Repeated thawing and freezing should be avoided. If a slight precipitation occurs upon storage, this should be removed by centrifugation. It will not affect the performance of the antiserum. Diluted antiserum should be stored at +4°C, not ref rozen, and preferably used the same day.