antibodies .- online.com







Pooled Normal Dog Milk



Overview

Quantity:	0.5 mL
Host:	Dog
Application:	Immunodiffusion (ID), Immunofluorescence (IF), Nephelometry (Neph), Radial Immunodiffusion
	(RID), ELISA, Western Blotting (WB)

Product Details

Protein Source:	Milk
Components:	Pooled Normal Dog Milk
Lysate Type:	Normal

Application Details

Application Notes:

As a qualitative reference with an optimized protein content to study the normal protein composition of dog milk. To identify or quantitate a normal milk protein component using a variety of immunodiffusion techniques including immunoelectropho-resis, single and double radial immunodiffusion and electro-immunodiffusion. As a reference in nephelometry and other automated precipitation techniques. As a blocking agent or as a negative control in nonprecipitating antibody-binding assays e.g. in serodiagnostic immunofluorescence and immunoenzyme tests. This normal reference does not contain assigned values for individual proteins but can be used as an internal relative standard for quantitative protein assays such as double radial immunodiffusion (Mancini, Fahey), ELISA, Western immuno-blotting and electroimmunodiffusion (Laurell), expressing the results obtained with the sample under investigation as a percentage of the protein concentration in the normal reference milk.

Restrictions: For Research Use only

Handling

Format:	Lyophilized
Buffer:	Delipidated, heat inactivated, lyophilized, stable whole milk
Preservative:	Without preservative
Storage:	4 °C