# antibodies - online.com





### Datasheet for ABIN459028

## anti-Dextranase antibody (Biotin)



#### Overview

1 mL
Dextranase
Penicillium sp.
Rabbit
Polyclonal
This Dextranase antibody is conjugated to Biotin
Western Blotting (WB), ELISA, Immunofluorescence (IF)
Creatininase isolated and purified from Penicillium species. Freund's complete adjuvant is used
in the first step of the immunization procedure.
IgG
Cross-reactivities against enzymes of other sources may occur but have not been determined.
Biotin-conjugated IgG fraction of polyclonal rabbit antiserum to dextranase from Penicillium
Biotin-conjugated IgG fraction of polyclonal rabbit antiserum to dextranase from Penicillium species
species

Target:	Dextranase
Abstract:	Dextranase Products

#### Target Details

Backo	round:

The reagents were evaluated for potency, purity and specificity using most or all of the following techniques: immunoelectrophoresis, cross-immunoelectrophoresis, single radial immunodiffusion (Ouchterlony), block titration, ELISA, immunoblotting and enzyme inhibition.

#### **Application Details**

#### Application Notes:

This product is intended for use in precipitating and non-precipitating antibody-binding assays (such as e.g., ELISA and Western blotting and immunofluorescence or histochemical techniques).

#### Restrictions:

For Research Use only

#### Handling

Format:	

Concentration:

Lyophilized

IgG protein concentration 10 mg/ml. Biotin/ IgG protein molar ratio (B/P) approximately 5.7. No foreign proteins added.

Buffer:

Biotin-coupled hyperimmune rabbit IgG lyophilised from a solution in phosphate buffered saline (PBS, pH 7.2).

Preservative:

Without preservative

Storage:

4 °C/-20 °C

Storage Comment:

The lyophilised conjugate is shipped at ambient temperature and may be stored at +4°C, prolonged storage at or below -20°C. It is reconstituted by adding 1.0 ml sterile distilled water, spun down to remove insoluble particles, divided into small aliquots, frozen and stored at or below -20°C. Prior to use, an aliquot is thawed slowly at a mbient temperature, spun down again and used to prepare working dilutions by adding sterile phosphate buffered saline (PBS, pH 7.2). Repeated thawing and freezing should be avoided. Working dilutions should be stored at +4°C, not refrozen, and preferably used the same day. If a slight precipitation occurs upon storage, this should be removed by centrifugation. It will not affect the performance of the product.