antibodies .- online.com







anti-Ribonuclease T1 antibody (Biotin)



\sim	
()\/\	rview
\cup	1 410 44

Abstract:

Overview	
Quantity:	1 mL
Target:	Ribonuclease T1
Reactivity:	Aspergillus oryzae
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Ribonuclease T1 antibody is conjugated to Biotin
Application:	Immunofluorescence (IF), ELISA, Western Blotting (WB)
Product Details	
Immunogen:	Ribonuclease T1 isolated and purified from Aspergillus oryzae. Freund's complete adjuvant is
	used in the first step of the immunization procedure.
Isotype:	IgG
Specificity:	Cross-reactivities against enzymes of other sources may occur but have not been determined.
Characteristics:	Biotin-conjugated IgG fraction of polyclonal rabbit antiserum to ribonuclease T1 from
	Aspergillus oryzae
Purification:	The IgG (7S) fraction is prepared from the antiserum by ammonium sulphate precipitation and
	ion exchange chromatography.
Target Details	
Target:	Ribonuclease T1

Ribonuclease T1 Products

Target Details

Bacl	//	ro	ıın	٨.
Daci	ĸα	ΙU	uu	u.

The reagents were evaluated for potency, purity and specificity using most or all of the following techniques: immunoelectrophoresis, cross-immunoelectrophoresis, single radial immunodiffusion (Ouchterlony), block titration, ELISA, immunoblotting and enzyme inhibition.

Application Details

Application Notes:

This product is intended for use in precipitating and non-precipitating antibody-binding assays (such as e.g., ELISA and Western blotting and immuno-fluorescence or histochemical techniques).

Restrictions:

For Research Use only

Handling

Format:

Buffer:

Lyophilized

Concentration:

IgG protein concentration 10 mg/ml. Biotin/IgG protein molar ratio (B/P) approximately 5.1. No foreign proteins added.

Biotin-coupled hyperimmune rabbit IgG lyophilised from a solution in phosphate buffered saline

(PBS, pH 7.2).

Preservative:

Without preservative

Storage:

4 °C/-20 °C

Storage Comment:

The lyophilised conjugate is shipped at ambient temperature and may be stored at +4°C, prolonged storage at or below -20°C. It is reconstituted by adding 1.0 ml sterile distilled water, spun down to remove insoluble particles, divided into small aliquots, frozen and stored at or below -20°C. Prio r to use, an aliquot is thawed slowly at ambient temperature, spun down again and used to prepare working dilutions by adding sterile phosphate buffered saline (PBS, pH 7.2). Repeated thawing and freezing should be avoided. Working dilutions should be stored at +4°C, not refrozen, and preferably used the s ame day. If a slight precipitation occurs upon storage, this should be removed by centrifugation. It will not affect the performance of the product.