

Datasheet for ABIN459252

anti-PCK1 antibody



Overview

Overview	
Quantity:	10 mg
Target:	PCK1
Reactivity:	Zea mays
Host:	Rabbit
Clonality:	Polyclonal
Application:	Western Blotting (WB), ELISA, Immunofluorescence (IF)
Product Details	
Immunogen:	Phospho(enol)pyruvate carboxylase isolated and purified from corn. Freund's complete
	adjuvant is used in the first step of the immunization procedure.
Isotype:	IgG
Specificity:	Cross-reactivities against enzymes of other sources may occur but have not been determined.
Characteristics:	IgG fraction of polyclonal rabbit antiserum to phospho(enol)pyruvate carboxylase from corn
Purification:	The IgG (7S) fraction is prepared from the antiserum by ammonium sulphate precipitation and
	ion exchange chromatography.
Target Details	
Target:	PCK1
Alternative Name:	Phosphoenolpyruvate Carboxylase (PCK1 Products)
Background:	The reagents were evaluated for potency, purity and specificity using most or all of the
	following techniques: immunoelectrophoresis, cross-immunoelectrophoresis, single radial

Target Details

Target Details	
	immunodiffusion (Ouchterlony), block titration, ELISA, immunoblotting and enzyme inhibition.
Pathways:	Positive Regulation of Peptide Hormone Secretion, Carbohydrate Homeostasis
Application Details	
Application Notes:	This product is intended for use in precipitating and non-precipitating antibody-binding assays
	(such as e.g., ELISA and Western blotting and immunofluorescence or histochemical
	techniques), to prepare an insoluble immuno-affinity adsorbent, for labelling with a marker of
	the customer's own choice.
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Concentration:	IgG protein concentration 10 mg/ml. No foreign proteins added.
Buffer:	Purified hyperimmune rabbit IgG lyophilised from a solution in phosphate buffered saline (PBS, pH 7.2).
Preservative:	Without preservative
Storage:	4 °C/-20 °C
Storage Comment:	The lyophilised IgG fraction is shipped at ambient temperature and may be stored at +4°C,
	prolonged storage at or below -20°C. It is reconstituted by adding 1.0 ml sterile distilled water,
	spun down to remove insoluble particles, divided into small aliquots, frozen and stored at or
	below -20°C. Prior to use, an aliquot is thawed slowly at a mbient temperature, spun down
	again and used to prepare working dilutions by adding sterile phosphate buffered saline (PBS,
	pH 7.2). Repeated thawing and freezing should be avoided. Working dilutions should be stored
	at +4°C, not refrozen, and preferably used t he same day. If a slight precipitation occurs upon
	storage, this should be removed by centrifugation. It will not affect the performance of the
	product.