

## Datasheet for ABIN464977 anti-CXCL6 antibody (Biotin)



_	
( )\/\	rview
OVC	

Overview	
Quantity:	50 μg
Target:	CXCL6
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CXCL6 antibody is conjugated to Biotin
Application:	ELISA, Western Blotting (WB), Neutralization (Neut)
Product Details	
Immunogen:	E.coli derived recombinant Human GCP-2.
	Type of Immunogen: Cell extract
Specificity:	Human GCP-2
Purification:	Immunoaffinity purified
Target Details	
Target:	CXCL6
Alternative Name:	CXCL6 (CXCL6 Products)
Background:	Name/Gene ID: CXCL6
	Subfamily: Intercrine alpha
	Family: Intercrine

	Synonyms: CXCL6, Chemokine alpha 3, GCP-2, GCP2, SCYB6, C-X-C motif chemokine 6, CKA-3, Small-inducible cytokine B6
Gene ID:	6372
UniProt:	P80162

## **Application Details**

**Application Notes:** 

Approved: ELISA (1 µg/mL), Neut, WB (0.1 - 0.2 µg/mL)

Usage: The applications listed have been tested for the unconjugated form of this product. Other forms have not been tested. ELISA: To detect hGCP-2 by direct ELISA (using 100  $\mu$ L/well antibody solution) a concentration of 0.25-1  $\mu$ g/mL of this antibody is required. This biotinylated polyclonal antibody, in conjunction with compatible secondary reagents, allows the detection of at least 0.2-0.4 ng/well of recombinant hGCP-2. To detect hGCP-2 by sandwich ELISA (using 100  $\mu$ L/well antibody solution) a concentration of 0.25-1  $\mu$ g/mL of this antibody is required. This biotinylated polyclonal antibody, in conjunction with Polyclonal Anti-Human GCP-2 (LS-C104344) as a capture antibody, allows the detection of at least 0.2-0.4 ng/well of recombinant hGCP-2. Western Blot: To detect hGCP-2 by Western Blot analysis this antibody can be used at a concentration of 0.1-0.2  $\mu$ g/mL. Used in conjunction with compatible secondary reagents the detection limit for recombinant hGCP-2 is 1.5-3 ng/lane, under either reducing or non-reducing conditions.

Comment:	Target Species of Antibody: Human

For Research Use only

## Handling

Restrictions:

Format:	Lyophilized
Reconstitution:	Sterile PBS containing 0.1 % BSA
Concentration:	Lot specific
Buffer:	Lyophilized from PBS, pH 7.2
Handling Advice:	Avoid freeze/thaw cycles.
Storage:	4 °C,-20 °C

## Handling

Storage Comment:

Store Lyophilized at room temperature up to 1 month

Reconstituted for up to 2 weeks at 2-8°C. Aliquot and freeze at -20°C for long term storage.

Avoid freeze/thaw cycles.