antibodies .- online.com







anti-IL17F antibody (Biotin)

Images



$C_0 + 0$	Product	0000
(¬() (()	Promici	Dage

\sim	
()\/\	rview
\cup	

Quantity:	50 μg
Target:	IL17F
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This IL17F antibody is conjugated to Biotin
Application:	Western Blotting (WB), ELISA, Neutralization (Neut)
Product Details	
Immunogen:	E.coli derived recombinant Human IL-17F.
	Type of Immunogen: Cell extract
Specificity:	Human IL-17F
Purification:	Immunoaffinity purified
Target Details	
Target:	IL17F
Alternative Name:	IL17F (IL17F Products)
Background:	Name/Gene ID: IL17F
	Synonyms: IL17F, CANDF6, Cytokine ML-1, IL-17F, Interleukin-17F, Interleukin 17F, Interleukin-

Target Details

	24, ML-1, ML1, Mutant IL-17F	
Gene ID:	112744	
UniProt:	Q96PD4	
Pathways:	Cellular Response to Molecule of Bacterial Origin, Positive Regulation of Endopeptidase Activity	

Application Details

Application Notes:

Approved: ELISA (1 µg/mL), Neut, WB (0.1 - 0.2 µg/mL)

Usage: The applications listed have been tested for the unconjugated form of this product. Other forms have not been tested. ELISA: To detect hIL-17F by direct ELISA (using 100 μ L/well antibody solution) a concentration of 0.25-1 μ g/mL of this antibody is required. This biotinylated polyclonal antibody, in conjunction with compatible secondary reagents, allows the detection of at least 0.2-0.4 ng/well of recombinant hIL-17F. To detect hIL-17F by sandwich ELISA (using 100 μ L/well antibody solution) a concentration of 0.25-1 μ g/mL of this antibody is required. This biotinylated polyclonal antibody, in conjunction with Polyclonal Anti-Human IL-17F (LS-C104732) as a capture antibody, allows the detection of at least 0.2-0.4 ng/well of recombinant hIL-17F. Western Blot: To detect hIL-17F by Western Blot analysis this antibody can be used at a concentration of 0.1-0.2 μ g/mL. Used in conjunction with compatible secondary reagents the detection limit for recombinant hIL-17F is 1.5-3 ng/lane, under either reducing or non-reducing conditions.

Comment:

Target Species of Antibody: Human

Restrictions:

For Research Use only

Handling

Format:	Lyophilized
Reconstitution:	Sterile PBS containing 0.1 % BSA
Concentration:	Lot specific
Buffer:	Lyophilized from PBS, pH 7.2
Handling Advice:	Avoid freeze/thaw cycles.
Storage:	4 °C,-20 °C
Storage Comment:	Store Lyophilized at room temperature up to 1 month

Reconstituted for up to 2 weeks at 2-8°C. Aliquot and freeze at -20°C for long term storage. Avoid freeze/thaw cycles.

Images




Image 1.




Image 2.