antibodies.com

Datasheet for ABIN465724 anti-CCL15 antibody (Biotin)

2 Images



Overview

Quantity:	50 µg
Target:	CCL15
Reactivity:	Human
Host:	Goat
Clonality:	Polyclonal
Conjugate:	This CCL15 antibody is conjugated to Biotin
Application:	ELISA, Western Blotting (WB), Neutralization (Neut)
Product Details	
Immunogen:	E.coli derived recombinant Human MIP-5.
	Type of Immunogen: Cell extract
Specificity:	Human MIP-5
Purification:	Immunoaffinity purified
Target Details	
Target:	CCL15
Alternative Name:	CCL15 / MIP5 (CCL15 Products)
Background:	Name/Gene ID: CCL15
	Subfamily: Intercrine beta
	Family: Intercrine

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN465724 | 09/12/2023 | Copyright antibodies-online. All rights reserved.


	Synonyms: CCL15, C-C motif chemokine 15, Chemokine hcc2, HMRP-2B, Leukotactin-1, LKN1, MIP-5, MIP5, MRP-2B, Leukotactin1, Small-inducible cytokine A15, MIP-1D, NCC3, New CC chemokine 3, SY15, Chemokine CC-2, HCC-2, Leukotactin 1, LKN-1, MIP-1 delta, NCC-3, SCYA15
Gene ID:	6359
UniProt:	Q16663
Application Details	
Application Notes:	Approved: ELISA (1 μg/mL), Neut, WB (0.1 - 0.2 μg/mL)
	Usage: The applications listed have been tested for the unconjugated form of this product. Other forms have not been tested. ELISA: To detect hMIP-5 by direct ELISA (using 100 µL/well antibody solution) a concentration of 0.25-1 µg/mL of this antibody is required. This biotinylated polyclonal antibody, in conjunction with compatible secondary reagents, allows the detection of at least 0.2-0.4 ng/well of recombinant hMIP-5. To detect hMIP-5 by sandwich ELISA (using 100 µL/well antibody solution) a concentration of 0.25-1 µg/mL of this antibody is required. This biotinylated polyclonal antibody, in conjunction with Polyclonal Anti-Human MIP- 5 (LS-C104276) as a capture antibody, allows the detection of at least 0.2-0.4 ng/well of
	recombinant hMIP-5. Western Blot: To detect hMIP-5 by Western Blot analysis this antibody can be used at a concentration of 0.1-0.2 µg/mL. Used in conjunction with compatible secondary reagents the detection limit for recombinant hMIP-5 is 1.5-3 ng/lane, under either reducing or non-reducing conditions.
Comment:	Target Species of Antibody: Human
Restrictions:	For Research Use only
Handling	

Format:	Lyophilized
Reconstitution:	Sterile PBS containing 0.1 % BSA
Concentration:	Lot specific
Buffer:	Lyophilized from PBS, pH 7.2
Handling Advice:	Avoid freeze/thaw cycles.
Storage:	4 °C,-20 °C

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN465724 | 09/12/2023 | Copyright antibodies-online. All rights reserved. Storage Comment:

Store Lyophilized at room temperature up to 1 month Reconstituted for up to 2 weeks at 2-8°C. Aliquot and freeze at -20°C for long term storage. Avoid freeze/thaw cycles.

Images



Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN465724 | 09/12/2023 | Copyright antibodies-online. All rights reserved.