.-online.com antibodies

Datasheet for ABIN465770 anti-G-CSF antibody (Biotin)

2 Images



Overview

Quantity:	50 µg
Target:	G-CSF (CSF3)
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This G-CSF antibody is conjugated to Biotin
Application:	Western Blotting (WB), ELISA, Neutralization (Neut)
Product Details	
Immunogen:	E.coli derived recombinant Murine G-CSF.
	Type of Immunogen: Cell extract
Specificity:	Mouse G-CSF
Purification:	Immunoaffinity purified
Target Details	
Target:	G-CSF (CSF3)
Alternative Name:	CSF3 / G-CSF / GCSF (CSF3 Products)
Background:	Name/Gene ID: CSF3

Synonyms: CSF3, C17orf33, Filgrastim, G-CSF, GCSF, Pluripoietin, CSF3OS, Lenograstim

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN465770 | 09/12/2023 | Copyright antibodies-online. All rights reserved.

Target DetailsGene ID:1440UniProt:P09919Pathways:Cellular Response to Molecule of Bacterial Origin, Regulation of Actin Filament Polymerization

Application Details

Application Notes:	Approved: ELISA (1 μg/mL), Neut, WB (0.1 - 0.2 μg/mL)
	Usage: The applications listed have been tested for the unconjugated form of this product.
	Other forms have not been tested. ELISA: To detect mG-CSF by direct ELISA (using 100 μ L/well
	antibody solution) a concentration of 0.25-1 μ g/mL of this antibody is required. This
	biotinylated polyclonal antibody, in conjunction with compatible secondary reagents, allows the
	detection of at least 0.2-0.4 ng/well of recombinant mG-CSF. To detect mG-CSF by sandwich
	ELISA (using 100 $\mu\text{L/well}$ antibody solution) a concentration of 0.25-1 $\mu\text{g/mL}$ of this antibody is
	required. This biotinylated polyclonal antibody, in conjunction with Polyclonal Anti-Murine G-
	CSF (LS-C104779) as a capture antibody, allows the detection of at least 0.2-0.4 ng/well of
	recombinant mG-CSF. Western Blot: To detect mG-CSF by Western Blot analysis this antibody
	can be used at a concentration of 0.1-0.2 μ g/mL. Used in conjunction with compatible
	secondary reagents the detection limit for recombinant mG-CSF is 1.5-3 ng/lane, under either
	reducing or non-reducing conditions.
Comment:	Target Species of Antibody: Mouse
Restrictions:	For Research Use only

Handling

Format:	Lyophilized
Reconstitution:	Sterile PBS containing 0.1 % BSA
Concentration:	Lot specific
Buffer:	Lyophilized from PBS, pH 7.2
Handling Advice:	Avoid freeze/thaw cycles.
Storage:	4 °C,-20 °C
Storage Comment:	Store Lyophilized at room temperature up to 1 month
	Reconstituted for up to 2 weeks at 2-8°C. Aliquot and freeze at -20°C for long term storage.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN465770 | 09/12/2023 | Copyright antibodies-online. All rights reserved.



Avoid freeze/thaw cycles.

Images




Image 1.




Image 2.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN465770 | 09/12/2023 | Copyright antibodies-online. All rights reserved.