# antibodies - online.com







# **TNFSF9 ELISA Kit**





$\sim$				
	11/6	٦r١	/10	۱۸.

Quantity:	96 tests	
Target:	TNFSF9	
Reactivity:	Human	
Method Type:	Sandwich ELISA	
Detection Range:	0.2-50 ng/mL	
Minimum Detection Limit:	0.2 ng/mL	
Application:	ELISA	
Product Details		
Purpose:	Human 41BB Ligand (TNFSF9) ELISA Kit for serum, plasma, and cell culture supernatant samples.	
Sample Type:	Plasma, Cell Culture Supernatant, Serum	
Analytical Method:	Quantitative	
Detection Method:	Colorimetric	
Specificity:	This ELISA antibody pair detects human 4-1BB Ligand. Other species not determined.	
Characteristics:	<ul> <li>Strip plates and additional reagents allow for use in multiple experiments</li> <li>Quantitative protein detection</li> <li>Establishes normal range</li> <li>The best products for confirmation of antibody array data</li> </ul>	
Components:	<ul><li>Pre-Coated 96-well Strip Microplate</li><li>Wash Buffer</li></ul>	

### **Product Details**

- · Stop Solution
- Assay Diluent(s)
- · Lyophilized Standard
- Biotinylated Detection Antibody
- · Streptavidin-Conjugated HRP
- TMB One-Step Substrate

#### Material not included:

- · Distilled or deionized water
- Precision pipettes to deliver 2 µL to 1 µL volumes
- Adjustable 1-25 µL pipettes for reagent preparation
- 100 µL and 1 liter graduated cylinders
- Tubes to prepare standard and sample dilutions
- · Absorbent paper
- Microplate reader capable of measuring absorbance at 450nm
- · Log-log graph paper or computer and software for ELISA data analysis

# Target Details

Target:	TNFSF9	
Alternative Name:	4-1BB Ligand///TNFSF9 (TNFSF9 Products)	
Gene ID:	8744	
UniProt:	P41273	
Pathways:	Activated T Cell Proliferation, Cancer Immune Checkpoints	

### **Application Details**

Application Notes:	Recommended Dilution for serum and plasma samples2 fold
Sample Volume:	100 μL
Plate:	Pre-coated
Protocol:	1. Prepare all reagents, samples and standards as instructed in the manual.
	2. Add 100 µL of standard or sample to each well.
	3. Incubate 2.5 h at RT or O/N at 4 °C.
	4. Add 100 μL of prepared biotin antibody to each well.
	5. Incubate 1 h at RT.
	6. Add 100 μL of prepared Streptavidin solution to each well.
	7. Incubate 45 min at RT.
	8. Add 100 µL of TMB One-Step Substrate Reagent to each well.
	9. Incubate 30 min at RT.

## **Application Details**

10. Add 50 µL of Stop Solution to each well.

11. Read at 450 nm immediately.

Restrictions:

For Research Use only

# Handling

Storage:	-20 °C
----------	--------

Storage Comment:

The entire kit may be stored at -20°C for up to 1 year from the date of shipment. Avoid repeated freeze-thaw cycles. The kit may be stored at  $4^{\circ}$ C for up to 6 months. For extended storage, it is recommended to store at -80°C.

Expiry Date:

6 months

## **Images**

#### **ELISA**

#### Image 1.



