# antibodies -online.com





# Datasheet for ABIN4884283

# **MSMB ELISA Kit**



### Overview

Quantity:	96 tests
Target:	MSMB
Reactivity:	Human
Method Type:	Sandwich ELISA
Application:	ELISA

Product Details				
Purpose:	Custom Human PSP94 ELISA Kit.			
Sample Type:	Cell Culture Supernatant, Cell Lysate, Plasma, Serum, Tissue Lysate			
Analytical Method:	Quantitative			
Detection Method:	Colorimetric			
Characteristics:	<ul> <li>Strip plates and additional reagents allow for use in multiple experiments</li> <li>Quantitative protein detection</li> <li>Establishes normal range</li> <li>The best products for confirmation of antibody array data</li> </ul>			
Components:	<ul> <li>Pre-Coated 96-well Strip Microplate</li> <li>Wash Buffer</li> <li>Stop Solution</li> <li>Assay Diluent(s)</li> <li>Lyophilized Standard</li> <li>Biotinylated Detection Antibody</li> <li>Streptavidin-Conjugated HRP</li> <li>TMB One-Step Substrate</li> </ul>			

## **Product Details**

### Material not included:

- · Distilled or deionized water
- Precision pipettes to deliver 2 μL to 1 μL volumes
- Adjustable 1-25 µL pipettes for reagent preparation
- 100 µL and 1 liter graduated cylinders
- Tubes to prepare standard and sample dilutions
- Absorbent paper
- Microplate reader capable of measuring absorbance at 450nm
- Log-log graph paper or computer and software for ELISA data analysis

# **Target Details**

Target:	MSMB	
Alternative Name:	PSP94 (MSMB Products)	
Gene ID:	4477	
UniProt:	P08118	

	P08118			
Application Details				
Sample Volume:	100 μL			
Plate:	Pre-coated			
Protocol:	1. Prepare all reagents, samples and standards as instructed in the manual.			
	2. Add 100 μL of standard or sample to each well.			
	3. Incubate 2.5 h at RT or O/N at 4 °C.			
	4. Add 100 μL of prepared biotin antibody to each well.			
	5. Incubate 1 h at RT.			
	6. Add 100 μL of prepared Streptavidin solution to each well.			
	7. Incubate 45 min at RT.			
	8. Add 100 μL of TMB One-Step Substrate Reagent to each well.			
	9. Incubate 30 min at RT.			
	10. Add 50 μL of Stop Solution to each well.			
	11. Read at 450 nm immediately.			
Restrictions:	For Research Use only			
Handling				
Storage:	-20 °C			
Storage Comment:	The entire kit may be stored at -20°C for up to 1 year from the date of shipment. Avoid repeate			

freeze-thaw cycles. The kit may be stored at 4°C for up to 6 months. For extended storage, it is

			11.	
_	$\sim$	$\sim$	111	nc
_	14	111		111

recommended to store at -80°C.

Expiry Date: 6 months