



[Go to Product page](#)

Datasheet for ABIN4884524
Sialoadhesin/CD169 ELISA Kit

Overview

Quantity:	96 tests
Target:	Sialoadhesin/CD169 (SIGLEC1)
Reactivity:	Human
Method Type:	Sandwich ELISA
Application:	ELISA

Product Details

Purpose:	Custom Human Siglec-1 (CD169) ELISA Kit.
Sample Type:	Cell Culture Supernatant, Cell Lysate, Plasma, Serum, Tissue Lysate
Analytical Method:	Quantitative
Detection Method:	Colorimetric
Characteristics:	<ul style="list-style-type: none">• Strip plates and additional reagents allow for use in multiple experiments• Quantitative protein detection• Establishes normal range• The best products for confirmation of antibody array data
Components:	<ul style="list-style-type: none">• Pre-Coated 96-well Strip Microplate• Wash Buffer• Stop Solution• Assay Diluent(s)• Lyophilized Standard• Biotinylated Detection Antibody• Streptavidin-Conjugated HRP• TMB One-Step Substrate

Product Details

Material not included:	<ul style="list-style-type: none">• Distilled or deionized water• Precision pipettes to deliver 2 μL to 1 μL volumes• Adjustable 1-25 μL pipettes for reagent preparation• 100 μL and 1 liter graduated cylinders• Tubes to prepare standard and sample dilutions• Absorbent paper• Microplate reader capable of measuring absorbance at 450nm• Log-log graph paper or computer and software for ELISA data analysis
------------------------	---

Target Details

Target:	Sialoadhesin/CD169 (SIGLEC1)
---------	------------------------------

Alternative Name:	Siglec-1 (SIGLEC1 Products)
-------------------	---

Gene ID:	6614
----------	------

UniProt:	Q9BZZ2
----------	------------------------

Application Details

Sample Volume:	100 μ L
----------------	-------------

Plate:	Pre-coated
--------	------------

Protocol:	<ol style="list-style-type: none">1. Prepare all reagents, samples and standards as instructed in the manual.2. Add 100 μL of standard or sample to each well.3. Incubate 2.5 h at RT or O/N at 4 °C.4. Add 100 μL of prepared biotin antibody to each well.5. Incubate 1 h at RT.6. Add 100 μL of prepared Streptavidin solution to each well.7. Incubate 45 min at RT.8. Add 100 μL of TMB One-Step Substrate Reagent to each well.9. Incubate 30 min at RT.10. Add 50 μL of Stop Solution to each well.11. Read at 450 nm immediately.
-----------	--

Restrictions:	For Research Use only
---------------	-----------------------

Handling

Storage:	-20 °C
----------	--------

Storage Comment:	The entire kit may be stored at -20°C for up to 1 year from the date of shipment. Avoid repeated freeze-thaw cycles. The kit may be stored at 4°C for up to 6 months. For extended storage, it is
------------------	---

Handling

recommended to store at -80°C.

Expiry Date: 6 months