

## Datasheet for ABIN4886303

### SRMS ELISA Kit



[Go to Product page](#)

#### Overview

Quantity: 96 tests

Target: SRMS

Binding Specificity: pTyr

Reactivity: Human

Method Type: Sandwich ELISA

Application: ELISA

#### Product Details

Purpose: Custom Human Phosphotyrosine SRMS ELISA Kit. This assay semi-quantitatively measures phosphotyrosine SRMS in lysate samples.

Sample Type: Cell Lysate, Tissue Lysate

Analytical Method: Semi-Quantitative

Detection Method: Colorimetric

Specificity: The antibody pair provided in this kit recognizes Human Tyrosine-Phosphorylated-SRMS.

Characteristics:

- Rapidly measure phosphorylated protein in lysates
- Screen numerous different cell lysates without performing a Western Blot analysis
- Minimal hands-on time, convenient, and non-radioactive material

Components:

- Pre-Coated 96-well Strip Microplate
- Wash Buffer
- Biotinylated Anti-Phosphotyrosine Antibody
- Stop Solution

## Product Details

---

- Assay Diluent(s)
- Positive Control Sample
- Lysis Buffer
- Streptavidin-Conjugated HRP
- TMB One-Step Substrate

Material not included:	<ul style="list-style-type: none"><li>• Distilled or deionized water</li><li>• 100 mL and 1 liter graduated cylinders</li><li>• Tubes to prepare sample dilutions</li><li>• Protease and Phosphatase inhibitors</li><li>• Precision pipettes to deliver 2 <math>\mu</math>L to 1 mL volumes</li><li>• Adjustable 1-25 mL pipettes for reagent preparation</li><li>• Benchtop rocker or shaker</li><li>• Microplate reader capable of measuring absorbance at 450 nm</li></ul>
------------------------	---

## Target Details

---

Target:	SRMS
Alternative Name:	SRMS ( <a href="#">SRMS Products</a> )
Gene ID:	6725
UniProt:	<a href="#">Q9H3Y6</a>

## Application Details

---

Sample Volume:	100 $\mu$ L
Plate:	Pre-coated
Protocol:	<ol style="list-style-type: none"><li>1. Prepare all reagents and samples as instructed in the manual.</li><li>2. Add 100 <math>\mu</math>L of sample or positive control to each well.</li><li>3. Incubate 2.5 h at RT or O/N at 4 <math>^{\circ}</math>C.</li><li>4. Add 100 <math>\mu</math>L of prepared primary antibody to each well.</li><li>5. Incubate 1 h at RT.</li><li>6. Add 100 <math>\mu</math>L of prepared 1X HRP-Streptavidin to each well.</li><li>7. Incubate 1 h at RT.</li><li>8. Add 100 <math>\mu</math>L of TMB One-Step Substrate Reagent to each well.</li><li>9. Incubate 30 min at RT.</li><li>10. Add 50 <math>\mu</math>L of Stop Solution to each well.</li><li>11. Read at 450 nm immediately.</li></ol>

Restrictions:	For Research Use only
---------------	-----------------------

## Handling

---

Storage: -20 °C

---

Storage Comment: Upon receipt, the kit should be stored at -20 °C. Please use within 6 months from the date of shipment. After initial use, Wash Buffer Concentrate (Item B), Assay Diluent (Item E), TMB One-Step Substrate Reagent (Item H), HRP-Streptavidin (Item G), Stop Solution (Item I) and Cell Lysate Buffer (Item J) should be stored at 4 °C to avoid repeated freeze-thaw cycles. Return unused wells to the pouch containing desiccant pack, reseal along entire edge and store at -20 °C. Reconstituted Positive Control (Item K) should be stored at -70 °C.

---

Expiry Date: 6 months