antibodies -online.com







anti-FCAR antibody (PE)





\sim	
()\/△	rview
\cup	1 410 44

Quantity:	100 tests
Target:	FCAR
Reactivity:	Human, Non-Human Primate
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This FCAR antibody is conjugated to PE
Application:	Flow Cytometry (FACS)

Product Details


Immunogen:	Ag8.653 myeloma cells
Clone:	A59
Isotype:	IgG1 kappa
Specificity:	The mouse monoclonal antibody A59 recognizes an extracellular epitope of CD89, a 55-100 kDa glycoprotein serving as a receptor for IgA and expressed mainly on granulocytes, monocytes and macrophages.
Cross-Reactivity (Details):	Human, Non-Human Primates
Purification:	Purified antibody is conjugated with R-phycoerythrin (PE) under optimum conditions. Unconjugated antibody and free fluorochrome are removed by size-exclusion chromatography.

Target Details

|--|

Target Details

Alternative Name:	CD89 (FCAR Products)
Background:	Fc fragment of IgA receptor,CD89 (Fc-alpha-R) is a type I transmembrane glycoprotein serving as a receptor for IgA. Soluble CD89 is detectable in serum and retains its IgA binding capacity. For signal transduction the association with FcR gamma chain homodimers is needed. CD89 is expressed on granulocytes, monocytes, macrophages, dendritic cells and myeloid cell lines. Its expression is upregulated in presence of IgA immune complexes, stimulators (such as LPS, PMA), TNF alpha, IL1 beta or GM-CSF, and it is downregulated in presence of TGF beta and suramin. Binding of IgA-opsonized targets to CD89 leads to phagocytic and cytotoxic processes of the immunologic defense.,FcalphaRI, FcAR, CTB-61M7.2
Gene ID:	2204
UniProt:	P24071
Application Details	
Application Notes:	Flow cytometry: The reagent is designed for analysis of human blood cells using 10 μ L reagent / 100 μ L of whole blood or 10 ⁶ cells in a suspension. The content of a vial (1 ml) is sufficient for 100 tests.
Comment:	The purified antibody is conjugated with R-Phycoerythrin (PE) under optimum conditions. The conjugate is purified by size-exclusion chromatography and adjusted for direct use. No reconstitution is necessary.
Restrictions:	For Research Use only
Handling	
Buffer:	Stabilizing phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C
Storage Comment:	Store at 2-8°C. Protect from prolonged exposure to light. Do not freeze.



Flow Cytometry

Image 1. Flow cytometry analysis (surface staining) of CD89 in human peripheral blood with anti-CD89 (A59) PE.