

## Datasheet for ABIN4909566

## anti-FGG antibody



( )	11	OF	· \ /	-	1 A /
	v	er	v		v v

Overview			
Quantity:	100 μL		
Target:	FGG		
Reactivity:	Human		
Host:	Mouse		
Clonality:	Monoclonal		
Conjugate:	This FGG antibody is un-conjugated		
Application:	Western Blotting (WB)		
Product Details			
Immunogen:	This FGG antibody is generated from mice immunized with a KLH conjugated synthetic peptide		
	between 417-445 amino acids from human FGG .		
Clone:	6C3		
Isotype:	lgG1		
Cross-Reactivity:	Human		
Purification:	Mouse monoclonal antibody supplied in crude ascites with 0.09% (W/V) sodium azide.		
Target Details			
Target:	FGG		
Alternative Name:	FGG (FGG Products)		
Background:	Synonyms: Fibrinogen gamma chain, FGG, PRO2061		

Background: Together with fibrinogen alpha (FGA) and fibrinogen beta (FGB), polymerizes to form an insoluble fibrin matrix. Has a major function in hemostasis as one of the primary components of blood clots. In addition, functions during the early stages of wound repair to stabilize the lesion and guide cell migration during re-epithelialization. Was originally thought to be essential for platelet aggregation, based on in vitro studies using anticoagulated blood. However, subsequent studies have shown that it is not absolutely required for thrombus formation in vivo. Enhances expression of SELP in activated platelets via an ITGB3-dependent pathway. Maternal fibrinogen is essential for successful pregnancy. Fibrin deposition is also associated with infection, where it protects against IFNG-mediated hemorrhage. May also facilitate the antibacterial immune response via both innate and T-cell mediated pathways.

Gene ID:

2266

UniProt:

P02679

## **Application Details**

Application Notes: WB 1:300-5000

Restrictions: For Research Use only

## Handling

Format:	Liquid
Concentration:	0.5 μg/μL
Buffer:	0.01M TBS( pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C for 12 months.
Expiry Date:	12 months