

Datasheet for ABIN4914415

anti-Survivin antibody (AA 85-142) (PE)



Go to Product page

_						
	V	\triangle	r۱	/1	\triangle	Λ/
	' V '		ΙV			v v

Quantity:	100 μL
Target:	Survivin (BIRC5)
Binding Specificity:	AA 85-142
Reactivity:	Human, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Survivin antibody is conjugated to PE
Application:	Western Blotting (WB), Flow Cytometry (FACS)
Product Details	
Immunogen:	KLH conjugated synthetic peptide derived from human Survivin
	KLH conjugated synthetic peptide derived from human Survivin IgG
Immunogen:	
Immunogen:	IgG
Immunogen: Isotype: Cross-Reactivity:	IgG Human, Mouse
Immunogen: Isotype: Cross-Reactivity: Predicted Reactivity:	IgG Human, Mouse Rat,Dog,Cow,Pig,Horse,Guinea Pig
Immunogen: Isotype: Cross-Reactivity: Predicted Reactivity: Purification:	IgG Human, Mouse Rat,Dog,Cow,Pig,Horse,Guinea Pig
Immunogen: Isotype: Cross-Reactivity: Predicted Reactivity: Purification: Target Details	IgG Human, Mouse Rat,Dog,Cow,Pig,Horse,Guinea Pig Purified by Protein A.

Apoptosis inhibitor survivin, BIRC5, IAP4

Background: Multitasking protein that has dual roles in promoting cell proliferation and preventing apoptosis. Component of a chromosome passage protein complex (CPC) which is essential for chromosome alignment and segregation during mitosis and cytokinesis. Acts as an important regulator of the localization of this complex, directs CPC movement to different locations from the inner centromere during prometaphase to midbody during cytokinesis and participates in the organization of the center spindle by associating with polymerized microtubules. The complex with RAN plays a role in mitotic spindle formation by serving as a physical scaffold to help deliver the RAN effector molecule TPX2 to microtubules. May counteract a default induction of apoptosis in G2/M phase. The acetylated form represses STAT3 transactivation of target gene promoters. May play a role in neoplasia. Inhibitor of CASP3 and CASP7. Isoform 2 and isoform 3 do not appear to play vital roles in mitosis. Isoform 3 shows a marked reduction in its anti-apoptotic effects when compared with the displayed wild-type isoform.

 Gene ID:
 332

 UniProt:
 015392

Pathways: Apoptosis, Cell Division Cycle, Nuclear Hormone Receptor Binding

For Research Use only

Application Details

Application Notes: FCM 1:20-100

Handling

Restrictions:

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C

Handling

Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months