

Datasheet for ABIN4953306

Recombinant anti-KRT20 antibody (C-Term)



[Go to Product page](#)

1 Image

Overview

Quantity:	100 µL
Target:	KRT20
Binding Specificity:	C-Term
Reactivity:	Human
Host:	Rabbit
Antibody Type:	Recombinant Antibody
Clonality:	Monoclonal
Conjugate:	This KRT20 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC)

Product Details

Immunogen:	A peptide corresponding to the C-terminus of human Cytokeratin 20 was used as the immunogen for this recombinant CK20 antibody.
Clone:	RM283
Isotype:	IgG
Characteristics:	This recombinant CK20 antibody reacts to human CK20/Cytokeratin-20/Keratin 20.
Purification:	Protein A purified from animal origin-free supernatant

Target Details

Target:	KRT20
---------	-------

Target Details


Alternative Name:	Cytokeratin 20 / CK20 (KRT20 Products)
Background:	This recombinant CK20 antibody reacts to human CK20/Cytokeratin-20/Keratin 20.
Gene ID:	54474
UniProt:	P35900

Application Details

Application Notes:	The stated application concentrations are suggested starting points. Titration of the recombinant CK20 antibody may be required due to differences in protocols and secondary/substrate sensitivity. 1. A pH 6 Citrate buffer or pH 9 Tris/EDTA buffer HIER step is recommended for testing of FFPE tissue sections.\. IHC (FFPE): 1:100-1:250 (1),Western Blot: 1:1000-1:2000
Restrictions:	For Research Use only

Handling

Buffer:	Antibody in PBS with 50 % glycerol, 1 % BSA and 0.09 % sodium azide
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store the recombinant CK20 antibody at -20°C (with glycerol) or aliquot and store at -20°C (without glycerol).



Immunohistochemistry

Image 1. IHC testing of FFPE human colon tissue with recombinant CK20 antibody at 1:250.