antibodies -online.com





Datasheet for ABIN4972067

PIK3C2A ELISA Kit



Overview

Target:

Pathways:

Alternative Name:

Target: Reactivity: Method Type: Detection Range: Minimum Detection Limit: Application: Product Details Purpose:	96 tests PIK3C2A Mouse Sandwich ELISA 1.56 ng/mL - 100 ng/mL 1.56 ng/mL
Reactivity: Method Type: Detection Range: Minimum Detection Limit: Application: Product Details Purpose:	Mouse Sandwich ELISA 1.56 ng/mL - 100 ng/mL
Method Type: Detection Range: Minimum Detection Limit: Application: Product Details Purpose:	Sandwich ELISA 1.56 ng/mL - 100 ng/mL
Detection Range: Minimum Detection Limit: Application: Product Details Purpose:	1.56 ng/mL - 100 ng/mL
Minimum Detection Limit: Application: Product Details Purpose:	
Application: Product Details Purpose:	1.56 ng/mL
Product Details Purpose:	
Purpose:	ELISA
	Mouse Phosphoinositide 3 Kinase 2a ELISA Kit is an ELISA Kit against Phosphoinositide 3
	Kinase 2a.
Sample Type:	Plasma, Serum
Analytical Method:	Quantitative
Detection Method:	Colorimetric
Sensitivity:	0.938 ng/mL
Target Details	

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn | International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com | Page 1/2 | Product datasheet for ABIN4972067 | 09/11/2023 | Copyright antibodies-online. All rights reserved.

EGFR Signaling Pathway, Inositol Metabolic Process, Platelet-derived growth Factor Receptor

PIK3C2A

PIK3C2a (PIK3C2A Products)

Signaling

Application Details	
Application Notes:	Stability: The stability of the kit is determined by the rate of activity loss. The loss rate is less
	than 5 % within the expiration date under appropriate storage conditions. To minimize
	performance fluctuations, operation procedures and lab conditions should be strictly controlled.
	It is also strongly suggested that the whole assay is performed by the same user throughout.
	Recommended dilutions: Optimal dilutions/concentrations should be determined by the end
	user.
	Standard Form: Lyophilized
Comment:	The stability of the kit is determined by the rate of activity loss. The loss rate is less than 5%
	within the expiration date under appropriate storage conditions. To minimize performance
	fluctuations, operation procedures and lab conditions should be strictly controlled. It is also
	strongly suggested that the whole assay is performed by the same user throughout.
Plate:	Pre-coated
Restrictions:	For Research Use only
Handling	
Storage:	4 °C/-20 °C
Storage Comment:	Upon receipt, store the kit according to the storage instruction in the kit's manual.
Expiry Date:	6 months