antibodies - online.com







anti-AVEN antibody (C-Term)






O	:
1 1\/\pi	view
\circ	V I C V V

0.01.11011	
Quantity:	0.1 mg
Target:	AVEN
Binding Specificity:	C-Term
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This AVEN antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Enzyme Immunoassay (EIA)
Product Details	
Immunogen:	Aven antibody was raised against a 14 amino acid peptide from near the carboxy terminus of human Aven.
Isotype:	IgG
Specificity:	This antibody reacts to AVEN.
Purification:	Affinity chromatography purified via peptide column
Target Details	
Target:	AVEN
Alternative Name:	AVEN (AVEN Products)


Target Details

9	
Background:	Apoptosis plays a major role in normal organism development, tissue homeostasis, and
	removal of damaged cells. Disruption of this process has been implicated in a variety of
	diseases such as cancer. Aven is a recently discovered protein that blocks apoptosis induced
	by Apaf-1 and caspase-9. It is thought that Aven functions by binding to Bcl-xL, an antiapoptotic
	member of the Bcl-2 family, and to Apaf-1, possibly interfering with the ability of Apaf-1 to self-
	associate, suggesting that Aven impedes Apaf-1-mediated caspase activation. Higher levels of
	Aven mRNA are seen in patients with acute leukemia than in control patients, suggesting that
	Aven may be useful as a prognostic indicator in leukemia patients. Despite its predicted
	molecular weight, Aven often migrates at 55 kDa in SDS-PAGE.Synonyms: Cell death regulator
	Aven, PDCD12, Programmed cell death 12
Gene ID:	57099
NCBI Accession:	NP_065104
UniProt:	Q9NQS1
Application Details	
Application Notes:	ELISA. Western Blot: Aven antibody can be used for detection of Aven at 0.5 to 1 μg/mL.
	Immunohistochemistry.
	Other applications not tested.
	Optimal dilutions are dependent on conditions and should be determined by the user.
Restrictions:	For Research Use only
Handling	
Buffer:	PBS containing 0.02 % sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which
	should be handled by trained staff only.
Storage:	4 °C
Storage Comment:	Store the antibody undiluted at 2-8 °C.



Immunohistochemistry (Paraffin-embedded Sections)

Image 1. Immunohistochemistry of Aven in human spleen tissue with Aven antibody at $5 \, \mu g/ml$.



Western Blotting

Image 2. Western blot analysis of Aven in Raji cell lysate with AP30098PU-N Aven antibody at 1 μ g/ml in (A) the presence and (B) the absence of blocking peptide.