antibodies -online.com





anti-GGACT antibody (AA 1-50) (Alexa Fluor 750)



Go to Product page

\sim					
()	VE	۲۱	/1	\triangle	Λ

Quantity:	100 μL	
Target:	GGACT	
Binding Specificity:	AA 1-50	
Reactivity:	Human, Mouse, Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This GGACT antibody is conjugated to Alexa Fluor 750	
Application:	Western Blotting (WB), Flow Cytometry (FACS), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human A2LD1	
Isotype:	IgG	
Cross-Reactivity:	Human, Mouse, Rat	
Predicted Reactivity:	Dog,Horse,Rabbit	
Purification:	Purified by Protein A.	

Target Details

Target:	GGACT	
Alternative Name:	A2LD1/GGACT (GGACT Products)	

Target Details

Expiry Date:

rarget Details		
Background:	Synonyms: A2LD1, Gamma-glutamylaminecyclotransferase, GGACT, AIG2-like domain-	
	containing protein 1, Gamma-glutamylamine cyclotransferase	
	Background: Contributes to degradation of proteins cross-linked by transglutaminases.	
	Degrades the cross-link between a lysine and a glutamic acid residue from two proteins that	
	have been cross-linked by transglutaminases. Catalyzes the formation of 5-oxoproline from L-	
	gamma-glutamyl-L-epsilon-lysine. Inactive with L-gamma-glutamyl-alpha-amino acid	
	substrates such as L-gamma-glutamyl-L-alpha-cysteine and L-gamma-glutamyl-L-alpha-	
	alanine.	
Gene ID:	87769	
UniProt:	Q9BVM4	
Application Details		
Application Notes:	FCM 1:20-100	
	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
	50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	

12 months