

Datasheet for ABIN4996524

anti-ANKRD11 antibody (AA 731-820) (AbBy Fluor® 750)



()	ve	rvi	6	W
\sim	v C	1 V I	\sim	v v

Overview		
Quantity:	100 μL	
Target:	ANKRD11	
Binding Specificity:	AA 731-820	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This ANKRD11 antibody is conjugated to AbBy Fluor® 750	
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	
Product Details		
Immunogen:	KLH conjugated synthetic peptide derived from human ANKRD11	
Isotype:	IgG	
Cross-Reactivity:	Human	
Predicted Reactivity:	Mouse,Rat,Dog,Cow,Horse	
Purification:	Purified by Protein A.	
Target Details		
Target:	ANKRD11	
Alternative Name:	ANKRD11 (ANKRD11 Products)	

Target Details

Synonyms: ANCO 1, ANCO1, Ankyrin repeat containing cofactor 1, Ankyrin repeat domain 11,	
Ankyrin repeat domain containing protein 11, LZ16, T13.	
Background: Ankyrin is a membrane protein that mediates the attachment of the erythrocyte	
membrane skeleton to the plasma membrane and interacts with CD44 and inositol	
triphosphate. It contains three functional domains: a conserved N-terminal ankyrin repeat	
domain (ARD(consisting of 2224 tandem repeats of 33 amino acids), a spectrin binding domain	
and a variably sized C-terminal regulatory domain. The ankyrin repeat is a 33-residue motif in	
proteins consisting of two alpha helices separated by loops. It has been studied using multiple	
sequence alignment to determine which conserved amino acid residues are critical for folding	
and stability. Ankyrin-repeat proteins have been associated with a number of human diseases,	
most notably, the cell cycle inhibitor p16 is associated with cancer and the Notch protein is a	
key component of cell signaling pathways whose intracellular repeat domain is disrupted in	
mutations that give rise to the neurological disorder known as CADASIL.	
29123	
IF(IHC-P) 1:50-200	
IF(IHC-F) 1:50-200	
IF(ICC) 1:50-200	
For Research Use only	
Liquid	
1 μg/μL	
Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
50 % Glycerol.	
ProClin	
This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
handled by trained staff only.	
-20 °C	
Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	
12 months	