

## Datasheet for ABIN4996650

## anti-Apelin antibody (AA 65-77) (AbBy Fluor® 680)



()	ve	rvi	6	W
$\sim$	v C	1 V I	$\sim$	v v

Quantity:	100 μL
Target:	Apelin (APLN)
Binding Specificity:	AA 65-77
Reactivity:	Human, Rat, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Apelin antibody is conjugated to AbBy Fluor® 680
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))
Product Details	
Immunogen:	KLH conjugated synthetic peptide derived from human Apelin
Isotype:	IgG
Specificity:	The antibody's immunogen sequence is derived from the Apelin-13 peptide. Therefore the Antibody can detect each of the active peptides that can be produced via proteolytic processing of the Apelin precursor.
Cross-Reactivity:	Human, Mouse, Rat
Purification:	Purified by Protein A.
Target Details	
Target:	Apelin (APLN)

## Target Details

Alternative Name:	Apelin (APLN Products)	
Background:	Synonyms: AGTRL1 ligand, APEL, APEL_HUMAN, Apelin-13, Apelin13, Apelin 13, APJ	
	endogenous ligand, Apln, XNPEP2	
	Background: Apelin is a neuropeptide expressed in the supraoptic and paraventricular nuclei	
	and is an endogenous ligand for APJ, a G protein-coupled orphan receptor which is an	
	alternative coreceptor with CD4 for HIV-1. Apelin and APJ are ubiquitously expressed in	
	peripheral tissues, with highest levels reported for heart and lungs, as well several regions	
	within the central nervous system. The actions of apelin remain largely unknown: Apelin inhibits	
	HIV-1 entry in cells coexpressing CD4 and APJ, the oral intake of Apelin in colostrum and breast	
	milk could have a role in the modulation of the immune responses in neonates, more recent	
	studies have also indicated a role for Apelin in the central control of body fluid homeostasis, by	
	influencing AVP release and drinking behavior. In the cardiovascular system several actions of	
	Apelin have been described, including endothelium-dependent vasodilatation, vasoconstriction	
	through direct action on smooth muscle and positive inotropism.	
Gene ID:	8862	
UniProt:	Q9ULZ1	
Pathways:	Positive Regulation of Peptide Hormone Secretion, Hormone Activity, Feeding Behaviour	
Application Details		
Application Notes:	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
	50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	

## Handling

Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months