antibodies .- online.com





anti-ARHGEF7 antibody (AA 201-300) (AbBy Fluor® 680)



\sim					
	1/6	⊃r	\/I	\triangle	٨/

Quantity:	100 μL	
Target:	ARHGEF7	
Binding Specificity:	AA 201-300	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This ARHGEF7 antibody is conjugated to AbBy Fluor® 680	
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human ARHG7.	
Isotype:	IgG	
Predicted Reactivity:	Human, Mouse, Rat, Dog, Cow, Pig, Horse, Rabbit	
Purification:	Purified by Protein A.	

Target Details

Target:	ARHGEF7
Alternative Name:	ARHG7 (ARHGEF7 Products)
Background: Synonyms: ARHG7_HUMAN, ARHG7, ARHGEF 7, ARHGEF7, Beta pix, betaPix, b	

betaPix-c, Cool, COOL1, P50 antibody P50BP, P85, P85COOL1, P85SPR, PAK interacting
exchange factor beta, PAK3, Pak3bp, PAK3BP, PIX, PIXB, Rho guanine nucleotide exchange
factor GEF 7, Rho guanine nucleotide exchange factor GEF 7b, Rho guanine nucleotide
exchange factor GEF7, Rho guanine nucleotide exchange factor 7, SH3 domain containing
proline rich protein, Nbla10314, KIAA0142.

Background: ARHGEF7 is a p21-activated protein kinase (Pak)-interacting exchange factor that has been identified as a putative guanine nucleotide exchange factor (GEF) for Rac/Cdc42. It is expressed ubiquitously in all the tissue examined and other isoforms are expressed mainly in the central nervous system. Regulated phosphorylation of ARHGEF7 is necessary to maintain the balance between normal signalling by EGFR and Src versus aberrant growth and transformation. Multiple alternatively spliced transcript variants encoding different isoforms have been described for this gene, but some of their full-length sequences have not been determined.

Gene ID: 8874

Pathways: EGFR Signaling Pathway, Neurotrophin Signaling Pathway, EGFR Downregulation

Application Details

Application Notes: IF(IHC-P) 1:50-200

IF(IHC-F) 1:50-200

IF(ICC) 1:50-200

Restrictions: For Research Use only

Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

		1.	
\vdash	land	lın	
	ıaııu	1111	U

Expiry Date:

12 months