

Datasheet for ABIN4997380

anti-Abeta 1-42 antibody (AA 1-42) (AbBy Fluor® 750)



Go to Product page

_	verview					
	1//	\triangle	r۱	/1	\triangle	Λ/
	' V '		ΙV			v v

Alternative Name:

Quantity:	100 μL		
Target:	Abeta 1-42		
Binding Specificity:	AA 1-42		
Reactivity:	Human, Rat, Mouse		
Host:	Rabbit		
Clonality:	Polyclonal		
Conjugate:	This Abeta 1-42 antibody is conjugated to AbBy Fluor® 750		
Application:	Western Blotting (WB), Immunofluorescence (Paraffin-embedded Sections) (IF (p)),		
	Immunofluorescence (Cultured Cells) (IF (cc)), Flow Cytometry (FACS)		
Product Details			
Immunogen:	KLH conjugated synthetic peptide of human beta-Amyloid(1-42)		
Isotype:	IgG		
Cross-Reactivity:	Human, Mouse, Rat		
Predicted Reactivity:	Dog,Cow,Pig,Chicken,Rabbit		
Purification:	Purified by Protein A.		
Target Details			
Target:	Abeta 1-42		

beta Amyloid 1-42 (Abeta 1-42 Products)

Target Details

Background:	Synonyms: AAA, AD1, PN2, ABPP, APPI, CVAP, ABETA, PN-II, CTFgamma, Amyloid beta A4			
	protein, APP, Alzheimer disease amyloid protein, Cerebral vascular amyloid peptide, PreA4,			
	Protease nexin-II, A4			
	Background: The cerebral and vascular plaques associated with Alzheimer's disease are mainly			
	composed of Amyloid beta peptides. beta Amyloid is derived from cleavage of the Amyloid			
	precursor protein and varies in length from 39 to 43 amino acids. beta Amyloid [1-40], beta			
	Amyloid [1-42], and beta Amyloid [1-43] peptides result from cleavage of Amyloid precursor			
	protein after residues 40, 42, and 43, respectively. The cleavage takes place by gamma-			
	secretase during the last Amyloid precursor protein processing step. beta Amyloid [1-40], beta			
	Amyloid [1-42], and beta Amyloid [1-43] peptides are major constituents of the plaques and			
	tangles that occur in Alzheimer's disease. beta Amyloid and peptides have been developed as			
	tools for elucidating the biology of Alzheimer's disease.			
Gene ID:	351			
UniProt:	P05067			
Application Details				
Application Notes:	FCM 1:20-100			
	IF(IHC-P) 1:50-200			
	IF(IHC-F) 1:50-200			
	IF(ICC) 1:50-200			
Restrictions:	For Research Use only			
Handling				
Format:	Liquid			
Concentration:	1 μg/μL			
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and			
	50 % Glycerol.			
Preservative:	ProClin			
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be			
	handled by trained staff only.			
Storage:	-20 °C			
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.			

	_	
-	II	1:
-	-222	nnc
-	Hand	1111()

Expiry Date:

12 months