antibodies

Datasheet for ABIN4997474 anti-BIN2 antibody (Alexa Fluor 680)



0	•	
$() \times (\cap$	r\/IO\//	
UVE	rview	
· · ·		

Overview	
Quantity:	100 µL
Target:	BIN2
Reactivity:	Human, Rat, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This BIN2 antibody is conjugated to Alexa Fluor 680
Application:	Western Blotting (WB), Immunofluorescence (Paraffin-embedded Sections) (IF (p))
Product Details	
Immunogen:	KLH conjugated synthetic peptide derived from human BIN2/BRAP1
lsotype:	lgG
Cross-Reactivity:	Human, Mouse, Rat
Purification:	Purified by Protein A.
Target Details	
Target:	BIN2
Alternative Name:	BIN2 (BIN2 Products)
Background:	Synonyms: BIN2, BIN2_HUMAN, BRAP 1, Breast cancer associated protein BRAP1, Breast
	cancer-associated protein 1, Bridging integrator 2.
	Background: BAR proteins are characterized by a common N-terminal BAR (bin, amphiphysin
	and Rvs161/167) domain and are recognized as adaptor proteins that are involved in many

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN4997474 | 03/06/2024 | Copyright antibodies-online. All rights reserved.

	cellular processes. BIN1 and BIN2 are BAR proteins that share 61 % sequence similarity. BIN1
	(Bridging integrator 1) is a ubiquitously expressed regulatory protein for synaptic vesicle
	endocytosis. BIN1 also interacts with the transcription factors c-Myc and MyoD, potentially
	functioning as a tumor suppressor. BIN2, also known as Breast cancer-associated protein 1, is
	a 565 amino acid protein that interacts with BIN1. In contrast to BIN1, BIN2 lacks tumor
	suppressor features as well as a c-Myc interacting region. BIN2 shows preferred expression in
	tissues of hematopoietic origin, with high levels found in spleen, thymus, colon, placenta,
	lymphoid and granulocytic cells. There are two isoforms of BIN2 that are produced as a result
	of alternative splicing events.
Gene ID:	51411
Application Details	
Application Notes:	IF(IHC-P) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months