antibodies.com

Datasheet for ABIN4997904 anti-C12ORF54 antibody (AbBy Fluor® 750)



<u> </u>	
Overview	
Quantity:	100 µL
Target:	C120RF54
Reactivity:	Human, Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This C12ORF54 antibody is conjugated to AbBy Fluor® 750
Application:	Western Blotting (WB), Immunofluorescence (Paraffin-embedded Sections) (IF (p))
Product Details	
Immunogen:	KLH conjugated synthetic peptide derived from human C120RF54
Isotype:	lgG
Cross-Reactivity:	Human, Mouse, Rat
Purification:	Purified by Protein A.
Target Details	
Target:	C120RF54
Alternative Name:	C120RF54 (C120RF54 Products)
Background:	Synonyms: MGC35033, C12orf54, Chromosome 12 open reading frame 54, CL054_HUMAN,
	HSD 29, HSD 30, HSD29, Uncharacterized protein C12orf54.
	Background: Encoding over 1,100 genes within 132 million bases, chromosome 12 makes up
	about 4.5 % of the human genome. A number of skeletal deformities are linked to chromosome

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN4997904 | 06/08/2024 | Copyright antibodies-online. All rights reserved.

	12 including hypochondrogenesis, achondrogenesis and Kniest dysplasia. Noonan syndrome,
	which includes heart and facial developmental defects among the primary symptoms, is
	caused by a mutant form of PTPN11 gene product, SH-PTP2. Chromosome 12 is also home to
	a homeobox gene cluster which encodes crucial transcription factors for morphogenesis, and
	the natural killer complex gene cluster encoding C-type lectin proteins which mediate the NK
	cell response to MHC I interaction. Trisomy 12p leads to facial development defects, seizure
	disorders and a host of other symptoms varying in severity depending on the extent of
	mosaicism and is most severe in cases of complete trisomy. The C12orf54 gene product has
	been provisionally designated C12orf54 pending further characterization.
Gene ID:	121273
Application Details	
Application Notes:	IF(IHC-P) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months