# antibodies -online.com





# anti-C4orf46 antibody (AA 51-113) (Alexa Fluor 680)



Go to Product page

$\sim$					
( )	VE	۲۱	/1	$\triangle$	Λ

Quantity:	100 μL	
Target:	C4orf46	
Binding Specificity:	AA 51-113	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This C4orf46 antibody is conjugated to Alexa Fluor 680	
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))	

## **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human C4orf46
Isotype:	IgG
Predicted Reactivity:	Human,Sheep
Purification:	Purified by Protein A.

# **Target Details**

Target:	C4orf46
Alternative Name:	C4orf46 (C4orf46 Products)
Background: Synonyms: C4orf46, CD046_HUMAN, Chromosome 4 open reading frame 46, hypothetic	

protein LOC201725, Hypothetical protein LOC201725 2, Uncharacterized protein C4orf46. Background: Representing approximately 6 % of the human genome, chromosome 4 contains nearly 900 genes. Notably, the Huntingtin gene, which is found to encode an expanded glutamine tract in cases of Huntington's disease, is on chromosome 4. FGFR-3 is also encoded on chromosome 4 and has been associated with thanatophoric dwarfism, achondroplasia, Muenke syndrome and bladder cancer. Chromosome 4 is also tied to Ellis-van Creveld syndrome, methylmalonic acidemia and polycystic kidney disease. Chromosome 4 reportedly contains the largest gene deserts (regions of the genome with no protein encoding genes) and has one of the two lowest recombination frequencies of the human chromosomes. The C4orf46 gene product has been provisionally designated C4orf46 pending further characterization.

Gene ID:

201725

## **Application Details**

Application Notes: IF(IHC-P) 1:50-200

IF(IHC-F) 1:50-200

IF(ICC) 1:50-200

Restrictions:

For Research Use only

#### Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months