antibodies

Datasheet for ABIN4998719 anti-C8orf47 antibody (AbBy Fluor® 680)



Overview	
Quantity:	100 µL
Target:	C8orf47 (C80RF47)
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This C8orf47 antibody is conjugated to AbBy Fluor® 680
Application:	Western Blotting (WB)
Product Details	
Immunogen:	KLH conjugated synthetic peptide derived from human C8orf47
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	Purified by Protein A.
Target Details	
Target:	C8orf47 (C80RF47)

Target:	C8orf47 (C8ORF47)
Alternative Name:	C8orf47 (C8ORF47 Products)
Background:	Synonyms: C8orf47, CH047_HUMAN, Chromosome 8 open reading frame 47, Uncharacterized protein C8orf47.
	Background: Made up of nearly 146 million bases, chromosome 8 encodes about 800 genes.
	Translocation of portions of chromosome 8 with amplifications of the c-Myc gene are found in

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN4998719 | 06/08/2024 | Copyright antibodies-online. All rights reserved.

	some leukemias and lymphomas, and typically associated with a poor prognosis. Portions of
	chromosome 8 have been linked to schizophrenia and bipolar disorder. Trisomy 8, also known
	as Warkany syndrome 2, most often results in early miscarriage but is occasionally seen in a
	mosaic form in surviving patients who suffer to a varying degree from a number of symptoms
	including retarded mental and motor development, and certain facial and developmental
	defects. WRN is a DNA helicase encoded by chromosome 8 and shown defective in those with
	the early aging disorder Werner syndrome. Chromosome 8 is also associated with Pfeiffer
	syndrome, congenital hypothyroidism and Waardenburg syndrome. The C8orf47 gene product
	has been provisionally designated C8orf47 pending further characterization.
Gene ID:	203111
Application Details	
Application Notes:	IF(IHC-P) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 µg/µL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months