antibodies -online.com





anti-MSANTD3 antibody (AA 1-100) (Alexa Fluor 680)



Go to Product page

\sim			
	N/P	r\/	i⊢₩

Quantity:	100 μL	
Target:	MSANTD3	
Binding Specificity:	AA 1-100	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This MSANTD3 antibody is conjugated to Alexa Fluor 680	
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Western Blotting (WB)	

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human C9orf30	
Isotype:	IgG	
Cross-Reactivity:	Human	
Predicted Reactivity:	Mouse,Rat,Dog,Sheep,Pig,Horse,Rabbit	
Purification:	Purified by Protein A.	

Target Details

Target:	MSANTD3
Alternative Name:	C9orf30 (MSANTD3 Products)

Target Details

9		
Background:	Synonyms: Chromosome 9 open reading frame 30, Cl030, FLJ34973, Hypothetical protein	
	LOC91283, L8, MGC17337, OTTHUMP00000021792, UPF0439 protein C9orf30,	
	MSD3_HUMAN.	
	Background: C9orf30 is a 275 amino acid protein that is expressed in brain and belongs to the	
	UPF0439 family. The gene encoding C9orf30 maps to human chromosome 9q31.1.	
	Chromosome 9 consists of about 145 million bases, represents 4 % of the human genome and	
	encodes nearly 900 genes. Thought to play a role in gender determination, deletion of the distal	
	portion of 9p can lead to development of male to female sex reversal, the phenotype of a	
	female with a male X,Y genotype. Hereditary hemorrhagic telangiectasia, which is characterized	
	by harmful vascular defects, is associated with the chromosome 9 gene encoding endoglin	
	protein, ENG. Familial dysautonomia is also associated with chromosome 9 though through the	
	gene IKBKAP. Notably, chromosome 9 encompasses the largest interferon family gene cluster.	
	Chromosome 9 is partnered with chromosome 22 in the translocation leading to the aberrant	
	production of BCR-ABL fusion protein often found in leukemias.	
Gene ID:	91283	
Application Details		
Application Notes:	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
	50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	

	lI	1:
-	เวทก	111111
	land	11110

Expiry Date:

12 months