antibodies -online.com





anti-CACNA1E antibody (AA 1265-1360) (Alexa Fluor 750)



Go to Product page

()	11/0	K\ /	iew	1
	\cup	'I V/I	$\square \vee \vee$	ı

Quantity:	100 μL
Target:	CACNA1E
Binding Specificity:	AA 1265-1360
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CACNA1E antibody is conjugated to Alexa Fluor 750
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human Cav23
Isotype:	IgG
Cross-Reactivity:	Human
Predicted Reactivity:	Mouse,Rat,Dog,Cow,Pig,Horse,Rabbit,Guinea Pig
Purification:	Purified by Protein A.

Target Details

Target:	CACNA1E
Alternative Name:	CACH6/Cav2.3 (CACNA1E Products)

Target Details

Background:	Synonyms: BII, Brain calcium channel II, CAC 1E, CAC1E, CACH 6, CACH6, CACNA1E, Cacnl1 a6, CACNL1A6, Calcium channel, L type, alpha 1 polypeptide, isoform 6, calcium channel, R type,			
	Cav 2.3, Cchra 1, Cchra1, Voltage dependent R type calcium channel subunit alpha 1E, Voltage			
	gated calcium channel subunit alpha Cav2.3.			
	Background: Calcium channels mediate the influx of calcium ions into the cell following			
	membrane polarisation. R-type calcium channels such as Cav2.3 belong to the "high voltage-			
	activated" group and are blocked by nickel. The calcium channel consists of a complex of			
	alpha-1, alpha-2/delta, beta, and gamma subunits in a 1:1:1:1 ratio. Each of these proteins			
	exists as multiple isoforms, either encoded by different genes or arising from alternative			
	splicing of transcripts. Cav2.3 is an alpha-1 subunit and has 24 transmembrane segments,			
	which form the pore through which ions pass into the cell. Calcium channels containing the			
	Cav2.3 subunit may be involved in the modulation of firing patterns of neurons, which is			
	important for information processing.			
Gene ID:	777			
Pathways:	Carbohydrate Homeostasis			
Application Details				
Application Notes:	IF(IHC-P) 1:50-200			
	IF(IHC-F) 1:50-200			
	IF(ICC) 1:50-200			
Restrictions:	For Research Use only			
Handling				
Format:	Liquid			
Concentration:	1 μg/μL			
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.			
Preservative:	ProClin			
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.			
Storage:	-20 °C			
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.			

		1 .	
ш	land	linc	٩
	ıanıu	11111	J

Expiry Date:

12 months